

食品群別摂取量(20歳以上性年齢階級別)

穀類(「米・加工品」,「小麦・加工品」,「その他の穀類・加工品」の合計)(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	541.9	180.4	34.7	100.0	261.7	312.0	417.8	521.9	643.7	826.5	857.9	1000.0	
	30-39歳	33	472.0	172.4	38.1	200.0	218.1	281.1	345.3	426.7	553.3	746.0	792.7	871.9	
	40-49歳	42	525.7	202.1	27.6	207.0	218.6	299.0	378.2	478.4	652.4	817.4	960.6	1062.0	
	50-59歳	64	488.3	177.1	19.9	205.0	224.0	231.0	375.3	510.0	593.0	699.8	795.0	1200.0	
	60-69歳	67	476.9	173.2	22.5	140.0	202.7	226.6	367.3	461.7	601.4	695.6	773.3	1010.0	
	70歳以上	101	457.6	151.0	19.0	120.0	206.3	251.8	345.0	468.8	559.9	634.7	712.8	880.2	
	(再掲)20歳以上※	340	488.5	175.9	12.1	188.7	219.9	260.0	370.8	472.4	595.0	715.0	799.8	1000.0	
	(再掲)65-74歳	81	469.6	162.0	16.5	142.9	202.9	248.8	360.0	468.0	560.1	655.3	769.2	1002.5	
	(再掲)75歳以上	60	457.7	157.2	23.2	120.0	189.7	252.2	345.0	436.6	575.0	670.2	754.5	908.8	
	(再掲)20-49歳※	108	513.1	188.6	21.1	158.8	226.1	305.0	380.0	475.3	628.8	784.8	870.2	1046.0	
	(再掲)40-74歳※	214	490.4	178.9	12.9	174.5	220.0	257.1	372.9	486.4	596.9	700.6	793.6	1041.4	
	女性	20-29歳	30	367.1	145.6	22.4	50.9	71.8	136.9	294.8	357.6	446.2	571.0	598.3	735.7
		30-39歳	45	391.1	152.0	18.6	0.0	97.9	211.9	335.6	393.9	461.8	592.7	617.3	966.3
		40-49歳	64	369.3	165.9	24.6	0.0	0.0	159.3	273.8	369.9	468.5	607.7	619.8	838.0
50-59歳		66	289.8	143.8	16.6	11.8	57.6	83.6	185.2	288.0	413.0	478.8	525.3	602.0	
60-69歳		64	320.6	138.6	17.5	0.0	90.0	157.3	245.0	311.4	399.7	478.9	585.7	700.0	
70歳以上		142	320.4	125.7	15.3	80.8	116.0	164.1	239.4	305.0	390.0	506.4	551.0	650.0	
(再掲)20歳以上※		411	335.8	145.1	10.8	0.0	100.0	155.6	244.3	337.2	420.0	522.8	600.3	698.0	
(再掲)65-74歳		93	323.1	127.4	17.0	75.0	97.4	157.1	236.4	309.7	399.7	516.1	546.4	698.0	
(再掲)75歳以上		86	324.9	123.4	13.9	115.4	150.3	174.4	240.0	306.4	395.3	496.0	575.8	654.8	
(再掲)20-49歳※		139	375.6	156.3	15.5	0.0	80.0	181.9	300.0	371.3	465.6	592.1	611.2	863.2	
(再掲)40-74歳※		250	324.5	148.3	11.9	0.0	80.0	130.0	227.6	316.7	413.9	531.7	600.7	693.9	
男女計		20-29歳	63	459.4	185.9	22.2	50.9	112.1	248.8	349.2	432.2	564.2	745.7	828.9	1000.0
		30-39歳	78	432.5	166.8	19.2	0.0	196.4	251.5	339.8	408.0	503.9	708.8	746.2	966.3
		40-49歳	106	449.0	200.4	22.6	0.0	159.4	219.7	311.0	428.4	563.3	699.2	834.4	1050.1
	50-59歳	130	389.4	189.2	15.6	21.9	83.6	148.3	240.7	385.4	517.3	611.6	702.2	1049.7	
	60-69歳	131	397.5	174.7	18.0	6.5	151.6	186.5	267.7	384.3	506.7	641.5	699.7	950.7	
	70歳以上	243	378.6	152.7	16.8	90.6	153.6	196.7	262.4	355.2	502.0	585.0	639.0	777.0	
	(再掲)20歳以上※	751	409.4	177.8	9.9	31.3	151.3	202.2	290.0	394.6	520.2	633.2	727.9	917.6	
	(再掲)65-74歳	174	393.3	162.2	15.1	77.2	135.3	200.0	269.5	384.3	510.1	589.5	665.9	919.9	
	(再掲)75歳以上	146	378.4	152.3	16.6	115.4	158.0	195.8	263.0	353.2	472.1	600.0	648.7	828.1	
	(再掲)20-49歳※	247	446.4	186.5	15.0	0.0	181.8	226.2	333.4	418.0	550.0	704.8	816.2	1000.0	
	(再掲)40-74歳※	464	406.1	183.7	10.7	1.8	128.0	200.0	272.8	390.0	522.6	633.1	702.1	974.6	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

(穀類内訳)米・米加工品(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	431.9	218.4	41.6	0.0	126.8	200.0	232.1	411.4	603.3	752.3	801.9	850.0	
	30-39歳	33	388.0	177.9	36.6	75.0	144.7	170.4	256.0	379.3	460.5	700.0	761.5	800.0	
	40-49歳	42	355.1	182.3	27.3	88.0	94.3	137.6	200.0	327.1	490.3	623.1	735.4	790.0	
	50-59歳	64	381.0	172.9	16.8	0.0	144.6	200.0	223.9	340.0	500.0	609.6	718.5	800.0	
	60-69歳	67	350.4	192.2	27.7	0.0	100.0	131.8	203.1	300.0	500.0	668.1	703.9	850.0	
	70歳以上	101	325.0	160.9	20.2	75.0	97.1	121.7	188.1	300.0	432.2	561.2	609.4	786.0	
	(再掲)20歳以上※	340	362.7	182.4	11.3	75.0	100.0	150.0	220.0	335.2	494.6	630.0	700.0	800.0	
	(再掲)65-74歳	81	311.2	171.5	22.0	4.0	81.5	100.0	175.7	281.2	413.6	566.7	650.1	822.8	
	(再掲)75歳以上	60	343.4	161.8	24.3	90.0	111.8	129.0	210.7	330.1	442.1	595.5	701.7	810.0	
	(再掲)20-49歳※	108	384.6	191.8	20.6	67.3	107.0	150.0	245.2	354.3	501.4	700.0	776.5	836.1	
	(再掲)40-74歳※	214	350.6	179.3	13.1	21.4	100.0	149.3	200.1	320.0	488.9	600.0	700.0	790.0	
	女性	20-29歳	30	270.6	158.4	25.2	0.0	0.0	77.8	136.5	250.0	362.3	502.1	586.3	600.0
		30-39歳	45	270.9	143.8	20.8	0.0	0.0	84.6	166.7	278.1	357.5	457.5	587.1	600.0
		40-49歳	64	256.7	135.3	20.8	0.0	0.0	100.0	160.0	220.3	368.7	413.5	466.7	600.0
50-59歳		66	194.5	144.9	23.1	0.0	0.0	0.0	74.1	189.7	297.7	400.0	478.4	566.0	
60-69歳		64	220.4	116.9	13.0	0.0	11.3	84.4	136.7	204.8	291.3	380.5	441.6	600.0	
70歳以上		142	221.0	120.0	15.2	0.0	40.2	82.9	137.5	200.0	300.0	394.9	441.6	510.0	
(再掲)20歳以上※		411	232.7	134.1	10.5	0.0	0.0	73.9	143.6	220.0	320.0	406.0	470.0	600.0	
(再掲)65-74歳		93	203.1	114.5	15.7	0.0	0.0	74.1	110.0	200.0	290.9	360.0	420.0	500.5	
(再掲)75歳以上		86	241.0	117.4	17.4	0.0	64.1	100.0	151.1	227.9	319.7	406.8	452.8	550.0	
(再掲)20-49歳※		139	264.5	143.0	14.8	0.0	0.0	99.1	160.0	262.4	360.0	449.8	547.1	600.0	
(再掲)40-74歳※		250	217.1	131.7	11.7	0.0	0.0	50.0	119.6	200.0	304.0	390.0	450.0	594.3	
男女計		20-29歳	63	355.8	207.7	27.8	0.0	50.9	100.0	200.0	314.1	500.0	661.3	760.6	850.0
		30-39歳	78	330.8	171.5	23.5	0.0	78.5	138.7	200.5	301.1	407.8	586.8	700.0	800.0
		40-49歳	106	306.9	167.6	17.9	0.0	85.0	100.0	181.8	300.0	388.7	534.6	621.7	784.7
	50-59歳	130	288.1	184.5	18.4	0.0	0.0	50.0	156.9	251.3	400.0	534.4	610.0	800.0	
	60-69歳	131	284.4	170.9	18.1	0.0	80.0	100.0	167.8	250.0	380.0	529.1	667.8	753.9	
	70歳以上	243	265.1	147.8	16.6	0.0	74.9	100.0	150.0	240.0	360.0	455.0	528.0	715.4	
	(再掲)20歳以上※	751	295.4	171.9	9.5	0.0	50.0	100.0	180.0	266.0	400.0	524.2	620.7	787.6	
	(再掲)65-74歳	174	254.8	154.1	15.4	0.0	68.4	84.5	150.0	220.0	350.0	450.0	562.5	724.7	
	(再掲)75歳以上	146	282.3	145.6	19.4	0.0	100.0	101.7	180.0	260.9	371.8	460.5	529.2	746.8	
	(再掲)20-49歳※	247	326.4	179.9	13.6	0.0	80.8	104.6	200.0	300.5	415.0	593.7	700.0	796.5	
	(再掲)40-74歳※	464	282.8	170.5	10.8	0.0	40.0	89.9	159.2	251.5	380.0	519.7	600.0	759.0	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせたための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

(穀類内訳)「小麦・加工品」,「その他の穀類・加工品」の合計(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	110.0	142.8	26.3	0.0	0.0	0.0	0.4	63.9	205.5	304.6	436.1	620.0	
	30-39歳	33	84.0	104.3	18.9	0.0	0.0	0.0	7.6	61.2	83.0	262.0	363.1	404.7	
	40-49歳	42	170.6	167.5	28.5	0.0	5.2	26.8	119.2	251.4	390.7	497.3	796.0		
	50-59歳	64	107.2	118.4	14.6	0.0	0.0	7.6	67.0	185.4	273.4	308.1	600.0		
	60-69歳	67	126.5	135.3	15.0	0.0	1.5	30.4	67.4	221.2	324.3	388.3	710.0		
	70歳以上	101	132.6	110.0	12.4	0.0	0.0	58.7	119.5	210.1	301.0	358.3	427.8		
	(再掲)20歳以上※	340	125.8	132.1	7.6	0.0	0.0	15.1	75.3	210.0	309.3	367.4	590.4		
	(再掲)65-74歳	81	158.5	130.0	14.9	0.0	13.2	60.0	127.3	237.4	356.5	371.5	689.8		
	(再掲)75歳以上	60	114.2	107.2	15.8	0.0	0.0	27.2	83.4	193.1	285.8	350.2	410.0		
	(再掲)20-49歳※	108	128.5	148.3	16.8	0.0	0.0	10.1	74.8	219.8	330.1	435.9	750.6		
	(再掲)40-74歳※	214	139.7	138.9	10.8	0.0	3.0	26.6	100.0	228.2	317.6	386.3	688.4		
	女性	20-29歳	30	96.5	123.4	20.7	0.0	0.0	8.0	58.4	99.8	321.4	364.8	508.0	
		30-39歳	45	120.2	126.2	17.9	0.0	0.0	13.5	75.4	215.3	299.2	429.2	513.5	
		40-49歳	64	112.6	115.7	12.2	0.0	0.0	10.9	93.6	165.4	246.1	303.1	648.0	
50-59歳		66	95.2	98.7	15.4	0.0	0.0	10.7	69.2	130.6	243.9	361.8	367.2		
60-69歳		64	100.1	91.0	11.7	0.0	0.0	29.3	74.6	143.9	244.4	277.1	515.0		
70歳以上		142	99.4	90.5	7.0	0.0	0.0	23.9	76.9	137.3	240.0	278.8	360.5		
(再掲)20歳以上※		411	103.1	103.4	6.1	0.0	0.0	17.3	76.4	152.8	244.7	309.7	434.4		
(再掲)65-74歳		93	120.1	100.7	10.2	0.0	0.0	40.7	102.6	176.0	258.2	326.1	466.9		
(再掲)75歳以上		86	83.9	82.2	8.9	0.0	0.0	10.1	69.1	120.0	230.7	248.5	338.0		
(再掲)20-49歳※		139	111.1	120.4	9.8	0.0	0.0	10.8	79.5	178.7	272.6	338.1	581.2		
(再掲)40-74歳※		250	107.4	101.6	7.2	0.0	0.0	29.1	85.0	153.7	244.0	300.3	400.8		
男女計		20-29歳	63	103.6	133.3	18.1	0.0	0.0	2.2	65.3	177.0	313.8	381.9	620.0	
		30-39歳	78	101.7	116.3	14.5	0.0	0.0	11.2	66.9	170.7	275.4	364.2	513.5	
		40-49歳	106	142.1	146.7	18.8	0.0	0.0	14.9	107.6	220.3	311.6	428.4	767.6	
	50-59歳	130	101.3	108.8	9.5	0.0	0.0	8.4	67.9	151.0	265.5	334.8	499.1		
	60-69歳	131	113.1	115.4	12.0	0.0	0.0	29.6	67.7	170.3	284.5	340.8	555.8		
	70歳以上	243	113.5	100.4	8.6	0.0	0.0	30.0	90.3	174.5	252.1	333.3	380.4		
	(再掲)20歳以上※	751	114.1	118.6	5.9	0.0	0.0	16.2	75.6	178.9	273.9	354.8	517.4		
	(再掲)65-74歳	174	138.5	117.0	11.8	0.0	3.4	50.0	107.9	216.9	307.2	365.0	520.0		
	(再掲)75歳以上	146	96.1	94.0	9.7	0.0	0.0	19.2	71.0	139.8	240.0	299.6	369.2		
	(再掲)20-49歳※	247	120.1	135.5	11.2	0.0	0.0	10.8	76.2	191.9	308.8	398.8	633.4		
	(再掲)40-74歳※	464	123.3	122.3	7.8	0.0	0.0	29.0	90.0	184.1	289.4	364.1	560.2		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせたための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	75.8	76.3	20.5	0.0	0.0	0.7	10.8	46.3	119.8	216.4	232.0	246.7	
	30-39歳	33	48.1	43.9	8.1	0.0	0.0	0.0	5.7	39.9	74.2	129.0	134.1	137.1	
	40-49歳	42	47.5	55.4	8.8	0.0	0.0	0.0	0.0	19.1	92.1	139.2	158.4	185.5	
	50-59歳	64	45.0	49.3	5.6	0.0	0.0	0.0	0.0	27.0	79.3	115.4	138.5	226.6	
	60-69歳	67	53.0	74.0	8.6	0.0	0.0	0.0	0.0	25.8	95.0	142.9	167.5	630.0	
	70歳以上	101	50.8	61.0	6.7	0.0	0.0	0.0	0.0	31.9	73.1	129.7	197.9	282.3	
	(再掲)20歳以上※	340	51.9	60.8	4.6	0.0	0.0	0.0	0.0	33.3	80.0	133.9	168.5	231.5	
	(再掲)65-74歳	81	61.3	74.8	9.9	0.0	0.0	0.0	0.0	40.0	103.7	159.0	198.4	586.6	
	(再掲)75歳以上	60	43.3	56.4	6.9	0.0	0.0	0.0	0.0	30.6	64.6	114.3	170.4	327.1	
	(再掲)20-49歳※	108	54.8	59.2	7.6	0.0	0.0	0.0	3.0	38.7	82.8	138.5	175.0	241.4	
	(再掲)40-74歳※	214	50.7	61.3	4.4	0.0	0.0	0.0	0.0	26.6	90.0	134.6	162.8	216.5	
	女性	20-29歳	30	51.0	50.3	8.3	0.0	0.0	0.0	0.5	44.8	80.3	130.9	175.6	185.3
		30-39歳	45	40.9	47.7	7.0	0.0	0.0	0.0	0.1	25.9	65.9	121.5	148.4	163.3
40-49歳		64	43.3	52.0	7.2	0.0	0.0	0.0	0.0	26.1	71.3	120.3	150.2	251.1	
50-59歳		66	46.1	52.5	6.4	0.0	0.0	0.0	0.0	37.5	73.3	114.6	139.5	305.0	
60-69歳		64	52.4	59.4	8.2	0.0	0.0	0.0	2.3	30.0	82.8	161.3	190.3	312.1	
70歳以上		142	49.5	55.4	5.5	0.0	0.0	0.0	0.0	37.9	78.2	121.8	140.2	286.0	
(再掲)20歳以上※		411	47.6	53.7	3.9	0.0	0.0	0.0	0.0	33.0	74.7	122.7	151.8	237.8	
(再掲)65-74歳		93	54.9	58.6	7.3	0.0	0.0	0.0	2.1	39.7	85.1	146.3	190.9	245.4	
(再掲)75歳以上		86	47.5	58.7	7.4	0.0	0.0	0.0	0.0	31.7	77.1	123.8	143.5	325.0	
(再掲)20-49歳※		139	44.4	50.1	4.6	0.0	0.0	0.0	0.0	30.3	70.2	120.4	148.2	214.5	
(再掲)40-74歳※		250	48.5	53.7	4.6	0.0	0.0	0.0	0.0	33.5	75.1	123.3	153.3	236.7	
男女計		20-29歳	63	64.1	66.1	13.8	0.0	0.0	0.0	8.6	46.0	88.1	176.4	217.7	246.7
		30-39歳	78	44.6	45.7	6.9	0.0	0.0	0.0	2.8	30.4	72.2	122.0	138.5	163.3
	40-49歳	106	45.5	53.5	7.1	0.0	0.0	0.0	0.0	23.8	76.2	129.9	153.6	233.3	
	50-59歳	130	45.6	50.7	4.7	0.0	0.0	0.0	0.0	35.5	78.6	115.0	134.1	236.1	
	60-69歳	131	52.7	66.8	7.5	0.0	0.0	0.0	0.0	30.0	89.7	150.2	181.2	312.7	
	70歳以上	243	50.1	57.7	5.1	0.0	0.0	0.0	0.0	34.7	76.9	125.0	157.8	243.8	
	(再掲)20歳以上※	751	49.7	57.3	4.0	0.0	0.0	0.0	0.0	33.3	77.3	128.0	161.5	231.8	
	(再掲)65-74歳	174	57.9	66.8	8.0	0.0	0.0	0.0	0.0	40.0	91.4	150.7	195.0	225.5	
	(再掲)75歳以上	146	45.8	57.6	6.4	0.0	0.0	0.0	0.0	31.1	72.1	119.2	143.3	311.2	
	(再掲)20-49歳※	247	49.8	55.1	5.5	0.0	0.0	0.0	0.4	34.8	75.4	132.2	161.7	229.0	
	(再掲)40-74歳※	464	49.6	57.5	4.1	0.0	0.0	0.0	0.0	31.9	80.9	127.2	161.5	217.0	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせたための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	5.5	7.9	1.21	0.0	0.0	0.0	0.0	0.0	1.5	10.5	14.2	21.7	41.0
	30-39歳	33	4.2	5.4	1.01	0.0	0.0	0.0	0.8	1.8	7.4	10.5	15.7	25.0	25.0
	40-49歳	42	4.7	5.9	1.05	0.0	0.0	0.0	0.0	2.9	6.3	16.6	18.0	25.5	25.5
	50-59歳	64	4.7	5.2	0.58	0.0	0.0	0.0	0.8	3.2	6.8	12.4	16.4	21.6	21.6
	60-69歳	67	6.4	7.5	0.91	0.0	0.0	0.0	0.3	4.3	9.2	18.5	23.2	33.9	33.9
	70歳以上	101	6.2	5.8	0.66	0.0	0.0	0.0	1.6	5.0	9.8	13.5	18.9	28.4	28.4
	(再掲)20歳以上※	340	5.4	6.3	0.43	0.0	0.0	0.0	0.5	3.1	8.2	13.5	18.5	26.5	26.5
	(再掲)65-74歳	81	5.9	6.6	0.84	0.0	0.0	0.0	0.5	3.9	8.9	15.1	20.0	26.9	26.9
	(再掲)75歳以上	60	6.3	6.0	0.62	0.0	0.0	0.0	1.6	5.1	9.8	12.9	19.7	30.8	30.8
	(再掲)20-49歳※	108	4.7	6.3	0.76	0.0	0.0	0.0	0.0	2.3	7.4	11.7	17.9	34.6	34.6
	(再掲)40-74歳※	214	5.4	6.2	0.50	0.0	0.0	0.0	0.3	3.6	8.0	14.6	18.8	26.4	26.4
	20-29歳	30	5.5	7.5	1.16	0.0	0.0	0.0	0.0	3.0	8.6	14.1	24.7	36.4	36.4
	30-39歳	45	4.1	4.5	0.68	0.0	0.0	0.0	0.7	2.4	6.6	11.2	14.0	26.4	26.4
	40-49歳	64	5.4	5.6	0.77	0.0	0.0	0.0	1.0	3.7	9.0	11.9	19.4	24.8	24.8
50-59歳	66	6.1	7.4	0.99	0.0	0.0	0.0	0.0	3.2	9.1	16.1	22.6	32.0	32.0	
60-69歳	64	7.7	11.0	2.30	0.0	0.0	0.0	0.6	3.8	9.5	24.5	27.6	50.0	50.0	
70歳以上	142	5.8	7.6	0.66	0.0	0.0	0.0	0.7	3.0	8.0	15.0	24.7	36.9	36.9	
(再掲)20歳以上※	411	5.8	7.7	0.47	0.0	0.0	0.0	0.5	3.1	8.2	14.5	22.2	37.5	37.5	
(再掲)65-74歳	93	6.2	8.3	0.99	0.0	0.0	0.0	0.6	3.1	8.6	18.0	24.9	37.2	37.2	
(再掲)75歳以上	86	5.0	6.1	0.79	0.0	0.0	0.0	0.5	3.0	6.3	13.9	17.0	33.2	33.2	
(再掲)20-49歳※	139	5.0	5.8	0.41	0.0	0.0	0.0	0.2	3.0	7.5	11.9	15.5	28.5	28.5	
(再掲)40-74歳※	250	6.5	8.6	0.73	0.0	0.0	0.0	0.6	3.6	9.0	16.1	24.8	42.2	42.2	
男女計	20-29歳	63	5.5	7.6	0.91	0.0	0.0	0.0	0.0	2.7	9.0	14.0	23.4	41.0	41.0
30-39歳	78	4.1	5.0	0.72	0.0	0.0	0.0	1.0	2.0	7.3	10.2	13.7	26.4	26.4	
40-49歳	106	5.0	5.8	0.80	0.0	0.0	0.0	0.3	3.2	7.0	12.5	18.1	25.4	25.4	
50-59歳	130	5.4	6.4	0.61	0.0	0.0	0.0	0.0	3.2	7.9	14.8	20.8	31.0	31.0	
60-69歳	131	7.0	9.4	1.39	0.0	0.0	0.0	0.6	4.0	9.3	19.3	25.0	46.7	46.7	
70歳以上	243	6.0	6.9	0.58	0.0	0.0	0.0	1.0	3.6	8.9	14.0	20.1	34.9	34.9	
(再掲)20歳以上※	751	5.6	7.0	0.39	0.0	0.0	0.0	0.5	3.1	8.2	14.0	20.0	33.4	33.4	
(再掲)65-74歳	174	6.1	7.5	0.60	0.0	0.0	0.0	0.6	3.2	8.8	15.2	24.6	33.8	33.8	
(再掲)75歳以上	146	5.5	6.1	0.62	0.0	0.0	0.0	1.0	3.5	8.2	13.7	18.3	30.5	30.5	
(再掲)20-49歳※	247	4.9	6.1	0.50	0.0	0.0	0.0	0.0	2.8	7.4	11.7	17.9	25.5	25.5	
(再掲)40-74歳※	464	6.0	7.5	0.55	0.0	0.0	0.0	0.6	3.6	8.7	15.7	21.5	35.6	35.6	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。
 ※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量 (20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル										
						1	5	10	25	50	75	90	95	99		
男性	20-29歳	33	36.8	60.0	11.2	0.0	0.0	0.0	0.0	0.0	0.0	78.0	100.0	122.5	390.0	
	30-39歳	33	69.4	118.1	24.7	0.0	0.0	0.0	0.0	0.0	34.5	70.2	178.9	365.9	466.1	
	40-49歳	42	49.9	59.7	8.8	0.0	0.0	0.0	0.0	0.0	29.4	71.0	150.6	187.1	202.7	
	50-59歳	64	56.1	74.2	13.9	0.0	0.0	0.0	0.0	0.0	40.0	80.5	122.9	255.9	325.0	
	60-69歳	67	87.0	117.9	13.4	0.0	0.0	0.0	6.6	47.3	116.3	193.0	328.5	600.0		
	70歳以上	101	79.5	83.4	8.2	0.0	0.0	0.0	10.4	51.0	123.9	218.4	263.6	317.5		
	(再掲)20歳以上※	340	66.0	89.4	7.4	0.0	0.0	0.0	0.0	40.0	84.4	180.0	251.5	459.5		
	(再掲)65-74歳	81	89.7	111.5	14.6	0.0	0.0	0.0	9.8	50.0	125.0	242.5	282.1	586.1		
	(再掲)75歳以上	60	71.2	75.0	7.8	0.0	0.0	0.0	19.2	49.8	91.0	186.5	266.6	306.3		
	(再掲)20-49歳※	108	52.7	82.7	10.5	0.0	0.0	0.0	0.0	30.4	74.8	150.0	194.7	457.9		
	(再掲)40-74歳※	214	68.9	89.4	9.5	0.0	0.0	0.0	0.0	40.0	95.0	191.6	251.6	416.8		
	女性	20-29歳	30	39.5	63.9	13.6	0.0	0.0	0.0	0.0	0.0	13.6	50.5	103.0	192.9	300.0
		30-39歳	45	63.9	113.4	20.1	0.0	0.0	0.0	0.0	0.0	20.6	58.0	203.2	354.2	466.9
40-49歳		64	53.6	61.9	7.6	0.0	0.0	0.0	0.0	0.0	39.2	98.3	140.8	175.2	281.0	
50-59歳		66	61.2	67.8	8.0	0.0	0.0	0.0	5.0	35.0	100.9	175.8	212.7	263.8		
60-69歳		64	74.7	85.5	8.4	0.0	0.0	0.0	15.0	44.2	114.1	173.5	246.8	525.0		
70歳以上		142	77.5	87.9	7.1	0.0	0.0	0.0	7.8	55.0	103.1	211.8	247.2	393.7		
(再掲)20歳以上※		411	66.0	83.1	4.7	0.0	0.0	0.0	2.0	40.0	95.0	173.7	244.7	398.8		
(再掲)65-74歳		93	68.9	77.1	8.3	0.0	0.0	0.0	11.2	44.5	97.9	177.7	220.4	458.4		
(再掲)75歳以上		86	84.8	95.0	8.7	0.0	0.0	0.0	12.9	58.3	110.7	229.8	352.6	414.9		
(再掲)20-49歳※		139	53.5	82.0	7.6	0.0	0.0	0.0	0.0	30.0	66.5	141.9	225.2	426.9		
(再掲)40-74歳※		250	63.8	73.0	4.6	0.0	0.0	0.0	5.5	40.0	99.9	166.9	218.6	308.0		
男女計		20-29歳	63	38.1	61.4	9.9	0.0	0.0	0.0	0.0	0.0	3.8	61.9	101.6	112.2	390.0
		30-39歳	78	66.7	115.2	21.9	0.0	0.0	0.0	0.0	0.0	30.8	60.0	156.9	390.6	466.9
	40-49歳	106	51.7	60.5	7.2	0.0	0.0	0.0	0.0	0.0	32.4	76.9	149.2	184.8	265.6	
	50-59歳	130	58.6	70.9	9.4	0.0	0.0	0.0	0.0	0.0	40.0	82.3	147.2	213.2	313.2	
	60-69歳	131	80.8	102.6	8.4	0.0	0.0	0.0	12.5	45.0	114.9	191.9	298.3	518.8		
	70歳以上	243	78.4	85.8	6.3	0.0	0.0	0.0	8.6	54.5	117.0	214.6	256.8	367.3		
	(再掲)20歳以上※	751	66.0	86.1	5.5	0.0	0.0	0.0	0.0	40.0	86.8	174.3	245.3	441.9		
	(再掲)65-74歳	174	78.9	95.5	9.5	0.0	0.0	0.0	10.4	50.0	116.8	210.2	250.6	500.1		
	(再掲)75歳以上	146	79.3	87.5	6.2	0.0	0.0	0.0	18.3	55.7	106.2	210.0	266.4	393.7		
	(再掲)20-49歳※	247	53.1	82.2	8.5	0.0	0.0	0.0	0.0	30.0	69.8	148.6	194.7	466.2		
	(再掲)40-74歳※	464	66.3	81.4	6.5	0.0	0.0	0.0	4.4	40.0	95.0	175.0	225.0	324.7		

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせたための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

種実類(g)	性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセントایل									
							1	5	10	25	50	75	90	95	99	
男性		20-29歳	33	0.6	2.6	0.50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	5.8	13.0
		30-39歳	33	2.5	6.6	0.89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	15.0	44.0
		40-49歳	42	8.1	35.6	6.65	0.0	0.0	0.0	0.0	0.0	0.8	5.1	59.3	193.2	22.0
		50-59歳	64	2.0	4.4	0.57	0.0	0.0	0.0	0.0	0.0	1.0	10.0	15.0	22.0	65.0
		60-69歳	67	4.7	11.1	1.31	0.0	0.0	0.0	0.0	0.0	1.9	17.8	33.0	49.8	176.6
		70歳以上	101	8.0	24.9	2.48	0.0	0.0	0.0	0.0	0.0	4.1	18.9	49.8	176.6	102.6
		(再掲)20歳以上※	340	5.1	20.6	1.77	0.0	0.0	0.0	0.0	0.0	1.5	11.5	20.0	47.5	64.5
		(再掲)65-74歳	81	6.5	13.8	1.67	0.0	0.0	0.0	0.0	0.0	4.8	27.4	47.5	60.0	196.6
		(再掲)75歳以上	60	9.4	30.8	3.78	0.0	0.0	0.0	0.0	0.0	7.5	18.8	60.0	14.5	170.5
		(再掲)20-49歳※	108	4.5	24.0	2.93	0.0	0.0	0.0	0.0	0.0	0.7	4.9	14.5	22.4	112.3
		(再掲)40-74歳※	214	5.3	21.0	1.95	0.0	0.0	0.0	0.0	0.0	1.8	10.6	22.4	4.7	7.1
		20-29歳	30	0.5	1.3	0.19	0.0	0.0	0.0	0.0	0.0	0.0	2.0	4.7	27.3	166.4
		30-39歳	45	6.3	26.4	4.22	0.0	0.0	0.0	0.0	0.0	2.3	8.6	27.3	8.3	85.9
		40-49歳	64	2.6	12.1	1.72	0.0	0.0	0.0	0.0	0.0	0.0	5.0	19.9	32.2	101.0
50-59歳	66	3.2	7.0	1.25	0.0	0.0	0.0	0.0	0.0	1.8	13.7	19.9	69.5	79.3		
60-69歳	64	6.8	20.5	3.24	0.0	0.0	0.0	0.0	0.0	2.0	11.6	34.7	20.0	88.8		
70歳以上	142	5.4	14.1	1.34	0.0	0.0	0.0	0.0	0.0	4.5	15.3	41.7	18.2	96.6		
(再掲)20歳以上※	411	4.6	15.6	1.17	0.0	0.0	0.0	0.0	0.0	2.0	10.0	20.0	9.2	127.4		
(再掲)65-74歳	93	5.9	14.5	1.67	0.0	0.0	0.0	0.0	0.0	3.0	19.9	41.7	24.4	87.7		
(再掲)75歳以上	86	4.8	14.0	1.37	0.0	0.0	0.0	0.0	0.0	4.5	13.7	18.2	2.9	13.0		
(再掲)20-49歳※	139	3.3	16.9	2.09	0.0	0.0	0.0	0.0	0.0	1.2	3.9	9.2	16.4	180.8		
(再掲)40-74歳※	250	4.7	14.5	1.09	0.0	0.0	0.0	0.0	0.0	2.0	11.8	24.4	35.5	88.3		
男女計	20-29歳	63	0.6	2.1	0.29	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.9	13.0		
30-39歳	78	4.4	19.0	2.20	0.0	0.0	0.0	0.0	0.0	2.2	7.5	16.4	15.4	180.8		
40-49歳	106	5.4	26.8	4.21	0.0	0.0	0.0	0.0	0.0	0.6	5.0	15.4	15.0	29.0		
50-59歳	130	2.6	5.8	0.80	0.0	0.0	0.0	0.0	0.0	1.5	10.8	15.0	35.5	88.3		
60-69歳	131	5.8	16.5	2.21	0.0	0.0	0.0	0.0	0.0	2.0	13.2	35.5	48.9	87.0		
70歳以上	243	6.5	19.4	1.75	0.0	0.0	0.0	0.0	0.0	4.5	17.6	48.9	20.0	88.5		
(再掲)20歳以上※	751	4.8	18.2	1.43	0.0	0.0	0.0	0.0	0.0	2.0	10.6	20.0	48.2	65.0		
(再掲)65-74歳	174	6.2	14.2	1.54	0.0	0.0	0.0	0.0	0.0	3.6	20.0	48.2	19.7	150.0		
(再掲)75歳以上	146	6.7	22.4	2.22	0.0	0.0	0.0	0.0	0.0	4.5	14.9	19.7	13.7	170.4		
(再掲)20-49歳※	247	3.9	20.8	2.51	0.0	0.0	0.0	0.0	0.0	1.0	4.7	13.7	22.5	87.8		
(再掲)40-74歳※	464	5.0	18.0	1.40	0.0	0.0	0.0	0.0	0.0	2.0	10.7	22.5				

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

野菜類(緑黄色野菜、その他の野菜、野菜ジュース、漬物の合計)(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	275.9	153.6	29.8	55.1	66.6	87.0	159.6	281.2	367.3	563.7	585.2	592.6	
	30-39歳	33	246.8	154.6	31.0	34.0	41.3	44.8	135.1	206.7	388.4	482.7	531.5	575.9	
	40-49歳	42	346.5	202.8	34.5	37.7	86.6	116.7	198.5	312.2	463.9	572.6	731.3	996.8	
	50-59歳	64	311.7	194.3	29.8	20.0	32.9	87.9	190.1	282.2	370.1	586.5	724.1	1010.7	
	60-69歳	67	372.3	196.3	28.2	4.1	110.0	140.8	201.2	342.9	516.5	609.4	715.9	1298.2	
	70歳以上	101	375.9	234.9	23.4	20.0	99.3	154.7	222.3	310.2	459.3	700.6	786.6	1258.0	
	(再掲)20歳以上※	340	332.9	203.7	14.8	19.7	64.8	110.1	184.7	300.0	439.0	586.5	700.6	1006.5	
	(再掲)65-74歳	81	385.9	221.7	23.4	24.8	114.0	128.2	211.8	342.9	506.1	699.0	777.9	1282.1	
	(再掲)75歳以上	60	357.8	233.7	32.2	20.0	63.5	161.5	220.7	294.7	453.2	688.6	786.7	1273.4	
	(再掲)20-49歳※	108	297.8	181.3	24.4	34.0	56.3	94.4	159.4	279.6	406.7	532.8	585.0	951.8	
	(再掲)40-74歳※	214	354.1	206.7	18.0	18.2	82.4	123.3	200.0	319.7	462.5	627.7	733.2	1005.3	
	女性	20-29歳	30	278.6	147.7	18.2	41.1	70.4	117.4	186.6	235.2	378.0	496.1	571.7	602.0
		30-39歳	45	243.1	143.5	18.2	0.0	30.2	71.7	146.4	212.6	327.4	457.8	519.1	716.0
		40-49歳	64	307.5	193.0	26.8	0.2	25.6	101.1	182.5	267.3	398.7	545.2	713.4	1010.7
50-59歳		66	339.8	179.2	22.4	24.0	85.2	123.6	202.1	322.3	457.9	589.6	627.1	939.1	
60-69歳		64	344.6	195.2	22.3	8.0	106.6	151.2	221.6	302.8	451.2	624.2	819.1	854.2	
70歳以上		142	343.0	187.9	15.1	20.0	103.4	140.5	210.6	312.0	451.7	572.3	706.9	913.2	
(再掲)20歳以上※		411	320.2	183.4	9.7	5.7	82.8	122.2	191.4	286.7	415.0	562.8	671.2	883.2	
(再掲)65-74歳		93	347.0	189.9	25.1	8.0	101.1	132.0	226.5	315.6	435.2	565.6	775.1	1073.0	
(再掲)75歳以上		86	325.0	179.1	22.2	20.0	88.3	131.7	178.5	292.4	440.5	571.4	672.4	898.2	
(再掲)20-49歳※		139	280.4	169.6	10.6	0.0	41.9	100.0	177.1	238.4	380.4	491.5	596.4	899.6	
(再掲)40-74歳※		250	339.2	192.0	16.0	4.3	97.5	123.6	212.2	309.0	433.7	592.0	757.3	952.6	
男女計		20-29歳	63	277.2	149.8	17.2	41.1	72.0	95.3	162.3	253.1	370.6	514.1	581.4	602.0
		30-39歳	78	245.0	148.4	22.4	0.0	41.7	80.5	136.0	210.4	371.2	459.5	524.7	716.0
		40-49歳	106	327.4	198.1	21.0	0.7	79.9	108.4	191.6	304.1	429.4	555.4	687.4	1007.8
	50-59歳	130	325.7	186.9	20.0	20.0	61.8	118.3	194.7	294.2	418.0	586.8	671.2	979.9	
	60-69歳	131	358.2	195.6	22.9	5.9	121.2	148.9	217.8	315.7	491.1	621.1	759.1	864.0	
	70歳以上	243	357.0	209.4	14.6	20.0	104.4	146.4	216.1	310.8	455.5	656.4	752.5	1161.3	
	(再掲)20歳以上※	751	326.3	193.4	9.3	17.8	80.7	120.1	188.8	293.4	429.8	582.3	688.9	974.1	
	(再掲)65-74歳	174	365.7	206.2	21.2	8.1	109.7	131.6	225.7	328.3	457.2	655.8	781.0	1161.3	
	(再掲)75歳以上	146	338.2	202.9	21.3	20.0	90.4	159.8	192.5	295.0	445.0	606.1	711.2	1155.0	
	(再掲)20-49歳※	247	289.3	175.6	11.3	0.9	55.6	95.8	164.0	254.2	396.5	529.1	585.1	928.7	
	(再掲)40-74歳※	464	346.5	199.3	14.4	13.2	93.4	123.8	207.2	311.7	452.1	613.3	743.5	997.4	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせた重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

野菜類(緑黄色野菜とその他の野菜の合計)(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	256.6	148.2	27.9	47.4	54.5	73.5	144.6	268.0	365.2	471.2	575.0	592.6	
	30-39歳	33	229.4	144.8	32.4	24.0	34.7	41.8	119.3	184.4	366.3	419.6	506.5	575.9	
	40-49歳	42	305.4	156.8	23.7	27.7	77.3	113.7	189.7	285.4	432.4	531.3	594.4	662.0	
	50-59歳	64	271.3	172.8	24.2	0.0	28.2	65.6	177.9	225.2	345.6	526.8	643.8	802.7	
	60-69歳	67	347.6	178.9	30.1	1.2	100.1	124.2	197.9	325.0	495.4	590.3	682.3	851.6	
	70歳以上	101	336.1	227.5	24.3	0.0	40.6	108.9	183.1	291.8	437.3	607.6	774.9	1258.0	
	(再掲)20歳以上※	340	300.2	185.4	13.4	0.0	51.9	93.8	164.7	269.0	413.4	544.1	621.0	857.5	
	(再掲)65-74歳	81	349.6	203.9	24.4	12.4	111.2	122.6	197.0	322.4	450.1	619.3	770.1	1143.6	
	(再掲)75歳以上	60	320.2	230.0	34.2	0.0	9.5	91.0	163.2	280.5	438.0	571.7	732.5	1273.4	
	(再掲)20-49歳※	108	269.5	153.5	21.3	24.0	54.7	85.0	151.5	255.5	375.6	493.7	564.9	648.9	
	(再掲)40-74歳※	214	317.3	182.9	15.0	0.0	65.4	117.8	184.6	284.1	435.0	557.3	636.6	802.6	
	女性	20-29歳	30	255.7	145.9	19.4	32.0	64.3	120.3	151.5	213.2	303.1	495.4	562.2	602.0
		30-39歳	45	229.0	142.8	19.8	0.0	30.2	60.6	120.6	195.2	288.3	457.6	503.0	716.0
		40-49歳	64	281.6	169.7	21.7	0.2	25.6	97.9	175.2	258.8	385.4	486.5	694.8	802.7
50-59歳		66	308.9	169.6	20.5	0.0	85.2	123.6	190.2	266.3	412.1	574.6	610.4	859.1	
60-69歳		64	318.1	175.4	24.4	0.0	105.6	146.1	207.3	262.7	394.4	622.5	673.3	816.6	
70歳以上		142	311.7	184.1	15.3	0.0	77.7	101.9	178.8	287.6	413.4	545.4	668.8	898.1	
(再掲)20歳以上※		411	293.3	172.5	9.5	0.0	69.1	110.5	179.0	253.6	387.1	534.7	641.5	827.5	
(再掲)65-74歳		93	326.1	185.2	25.1	0.0	82.5	116.6	202.1	310.0	415.3	516.0	749.8	1066.8	
(再掲)75歳以上		86	288.5	170.8	21.2	0.0	32.6	100.4	169.9	261.7	385.9	546.0	652.1	882.2	
(再掲)20-49歳※		139	258.9	156.8	10.6	0.0	41.8	93.4	160.7	223.3	346.6	482.9	538.8	780.6	
(再掲)40-74歳※		250	312.5	178.6	15.1	0.1	89.8	121.2	193.7	271.1	410.5	556.7	670.7	833.9	
男女計		20-29歳	63	256.2	146.1	16.8	35.5	54.9	86.0	151.3	217.9	341.3	488.0	564.6	602.0
		30-39歳	78	229.2	143.0	23.9	0.0	41.6	61.1	121.2	190.0	344.7	431.7	506.2	716.0
		40-49歳	106	293.7	163.0	14.3	0.7	69.5	108.2	182.5	262.7	395.5	508.8	601.2	791.9
	50-59歳	130	290.0	171.7	16.8	0.0	48.6	115.6	179.9	248.7	374.6	556.9	626.1	835.8	
	60-69歳	131	332.7	177.2	24.2	0.0	108.3	140.5	203.2	285.9	452.1	597.6	672.6	793.1	
	70歳以上	243	322.0	203.6	15.9	0.0	66.4	107.1	179.1	288.8	416.6	562.0	670.6	1161.3	
	(再掲)20歳以上※	751	296.6	178.8	9.4	0.0	55.8	100.0	174.0	259.0	397.5	539.1	623.6	823.3	
	(再掲)65-74歳	174	337.4	194.3	22.8	0.1	93.7	122.0	198.0	313.0	434.5	598.3	758.8	1046.7	
	(再掲)75歳以上	146	301.3	196.8	21.1	0.0	30.9	99.3	169.7	266.9	404.3	546.5	661.5	1151.0	
	(再掲)20-49歳※	247	264.3	154.9	10.6	0.9	50.7	87.5	151.8	231.9	370.8	485.7	550.5	729.3	
	(再掲)40-74歳※	464	314.9	180.5	13.0	0.0	81.7	120.2	192.3	279.1	415.9	554.7	662.7	827.1	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせたための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	63.8	63.3	10.5	0.0	0.0	0.0	18.2	57.8	81.3	116.0	176.9	331.1	
	30-39歳	33	77.3	65.8	13.8	0.0	0.0	3.7	30.1	65.3	107.8	180.8	228.8	238.0	
	40-49歳	42	80.9	63.6	9.7	0.0	0.9	13.4	36.7	68.2	111.8	158.0	243.2	269.0	
	50-59歳	64	74.3	82.3	14.0	0.0	0.0	0.0	25.0	60.0	88.2	151.5	246.1	410.7	
	60-69歳	67	106.0	101.6	12.8	0.0	0.0	9.1	27.2	73.2	147.9	250.8	279.2	525.6	
	70歳以上	101	118.0	127.9	13.0	0.0	0.0	5.8	33.4	91.3	142.3	258.5	389.7	771.6	
	(再掲)20歳以上※	340	91.5	95.3	5.7	0.0	0.0	5.4	28.3	72.0	115.7	212.5	266.5	417.4	
	(再掲)65-74歳	81	118.4	108.9	13.3	0.0	0.0	11.4	30.0	91.8	168.2	271.6	380.3	515.8	
	(再掲)75歳以上	60	110.8	144.1	21.6	0.0	0.0	0.0	27.6	80.8	116.7	258.0	407.0	825.6	
	(再掲)20-49歳※	108	75.5	64.1	7.4	0.0	0.0	8.4	30.0	62.6	102.8	160.9	228.0	315.0	
	(再掲)40-74歳※	214	94.4	89.3	7.3	0.0	0.0	10.0	29.0	73.3	123.6	233.3	267.8	409.7	
	女性	20-29歳	30	85.1	99.1	17.6	0.0	6.3	13.1	34.8	52.1	89.6	222.8	364.3	440.0
		30-39歳	45	75.6	72.9	9.8	0.0	0.0	4.8	16.9	57.2	103.6	179.7	274.0	285.6
		40-49歳	64	90.7	87.6	14.5	0.0	0.0	0.0	42.1	61.3	112.6	182.7	284.5	410.7
50-59歳		66	95.0	87.5	11.9	0.0	2.4	13.0	36.3	74.4	117.9	244.1	308.2	350.7	
60-69歳		64	98.5	86.7	9.9	0.0	0.4	22.0	46.2	84.6	127.0	178.1	297.1	511.4	
70歳以上		142	119.1	102.1	9.0	0.0	0.9	13.6	43.6	95.5	156.6	252.0	348.0	424.9	
(再掲)20歳以上※		411	99.8	92.8	5.7	0.0	0.0	12.5	36.4	80.0	130.0	227.2	317.3	423.6	
(再掲)65-74歳		93	121.5	99.9	11.6	0.0	5.4	21.1	52.3	96.7	154.4	246.0	354.4	420.0	
(再掲)75歳以上		86	108.2	98.7	8.9	0.0	0.0	6.0	30.8	87.1	138.6	245.0	333.9	426.4	
(再掲)20-49歳※		139	84.6	85.9	7.7	0.0	0.0	5.4	29.9	59.0	106.2	182.9	281.6	428.4	
(再掲)40-74歳※		250	103.6	92.7	8.2	0.0	0.0	13.4	45.7	81.6	131.9	229.5	333.1	419.9	
男女計		20-29歳	63	73.8	82.3	11.2	0.0	0.0	8.9	26.6	55.6	83.4	117.0	308.1	440.0
		30-39歳	78	76.5	69.0	10.2	0.0	0.0	5.1	25.0	61.7	102.7	179.5	226.0	285.6
		40-49歳	106	85.7	76.2	9.5	0.0	0.0	8.9	37.8	65.1	109.8	172.2	249.0	407.4
	50-59歳	130	84.6	85.3	9.7	0.0	0.0	4.1	25.0	65.8	100.0	222.4	265.4	403.9	
	60-69歳	131	102.2	94.1	9.0	0.0	0.0	13.2	40.0	80.3	131.7	235.6	276.1	512.2	
	70歳以上	243	118.6	113.5	8.9	0.0	0.0	12.5	39.5	91.6	154.6	254.9	389.4	428.4	
	(再掲)20歳以上※	751	95.8	94.1	4.9	0.0	0.0	10.0	31.5	75.1	121.5	224.1	281.2	421.4	
	(再掲)65-74歳	174	120.0	104.1	11.1	0.0	3.9	16.4	40.0	92.6	161.0	262.8	381.9	420.0	
	(再掲)75歳以上	146	109.3	118.7	11.2	0.0	0.0	5.2	29.6	83.2	136.4	245.8	390.4	653.9	
	(再掲)20-49歳※	247	79.9	75.5	5.8	0.0	0.0	5.7	30.0	60.9	103.7	173.6	237.4	403.6	
	(再掲)40-74歳※	464	99.1	91.1	7.0	0.0	0.0	12.5	37.2	80.0	130.1	230.4	276.2	419.6	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせた重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

その他の野菜(B)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	192.7	115.6	25.2	31.0	37.7	46.2	89.3	188.9	264.0	354.1	419.2	507.5	
	30-39歳	33	152.1	112.6	25.5	12.2	23.9	25.7	57.1	128.3	232.9	359.8	387.6	393.4	
	40-49歳	42	224.5	133.1	21.7	18.6	35.4	58.3	126.0	191.9	315.3	410.7	501.7	557.0	
	50-59歳	64	197.0	131.2	16.4	0.0	5.2	57.6	110.4	173.5	257.6	392.1	450.8	700.7	
	60-69歳	67	241.6	133.6	22.1	1.2	47.0	91.9	150.0	215.7	335.3	437.6	510.3	660.0	
	70歳以上	101	218.2	140.0	16.2	0.0	15.2	60.4	112.4	200.4	307.6	403.2	456.4	755.2	
	(再掲)20歳以上※	340	208.8	132.5	10.9	0.0	26.3	53.9	108.7	184.6	286.4	399.0	452.3	597.7	
	(再掲)65-74歳	81	231.3	138.6	16.2	12.4	31.1	73.4	115.0	211.2	319.0	402.8	457.2	799.8	
	(再掲)75歳以上	60	209.4	133.1	18.2	0.0	4.7	47.0	118.2	184.1	299.1	392.2	451.6	616.4	
	(再掲)20-49歳※	108	194.0	125.7	19.2	19.6	31.8	47.4	89.2	175.6	264.1	386.7	415.9	555.0	
	(再掲)40-74歳※	214	222.9	136.0	10.3	0.0	31.1	69.6	120.7	199.2	305.3	411.8	468.4	668.0	
	女性	20-29歳	30	170.7	93.9	12.9	13.4	40.6	83.4	99.6	144.7	226.3	325.6	384.8	393.1
		30-39歳	45	153.4	116.0	19.4	0.0	0.0	27.2	64.1	153.5	199.9	305.9	386.0	671.0
		40-49歳	64	190.9	129.1	14.1	0.0	5.2	39.9	93.2	171.0	276.7	377.3	424.1	569.4
50-59歳		66	214.0	122.4	15.1	0.0	52.9	70.2	129.6	187.0	277.8	378.0	474.7	613.4	
60-69歳		64	219.6	129.2	18.3	0.0	50.1	83.1	122.8	201.9	271.1	429.9	489.3	585.0	
70歳以上		142	192.5	125.1	12.4	0.0	31.6	67.7	101.5	170.3	262.1	346.6	406.6	776.8	
(再掲)20歳以上※		411	193.5	123.7	6.6	0.0	26.9	61.6	106.2	173.4	261.1	368.0	417.4	583.8	
(再掲)65-74歳		93	204.6	126.0	16.7	0.0	49.7	72.3	115.0	183.4	268.0	367.2	444.0	737.3	
(再掲)75歳以上		86	180.3	119.2	18.9	0.0	26.9	62.9	84.5	170.6	242.9	299.8	385.4	854.0	
(再掲)20-49歳※		139	174.2	117.8	10.1	0.0	16.0	40.9	90.0	160.2	239.9	353.8	392.9	589.3	
(再掲)40-74歳※		250	208.8	128.1	9.9	0.0	39.8	67.3	114.9	186.8	276.1	380.3	464.2	586.5	
男女計		20-29歳	63	182.3	105.8	15.7	17.2	38.4	56.8	96.5	163.3	256.8	331.8	392.7	507.5
		30-39歳	78	152.7	113.6	19.3	0.0	21.3	26.0	60.7	134.2	208.4	319.7	386.1	671.0
		40-49歳	106	208.0	131.7	11.0	0.0	27.7	51.7	102.0	183.2	284.5	400.9	451.2	566.4
	50-59歳	130	205.5	126.8	12.1	0.0	27.3	65.4	117.3	178.9	266.4	382.2	453.8	688.4	
	60-69歳	131	230.4	131.5	18.7	0.0	52.2	90.6	126.9	209.6	303.2	429.2	486.0	583.1	
	70歳以上	243	203.4	132.0	11.6	0.0	26.1	64.9	104.5	179.4	278.5	381.2	428.0	707.1	
	(再掲)20歳以上※	751	200.8	128.2	7.3	0.0	26.9	58.1	108.4	179.1	271.4	386.4	436.0	578.2	
	(再掲)65-74歳	174	217.4	132.6	14.6	0.1	38.5	73.9	115.0	197.0	294.9	394.9	456.1	729.8	
	(再掲)75歳以上	146	192.0	125.4	15.0	0.0	18.2	61.5	100.1	176.1	252.1	352.7	424.9	657.0	
	(再掲)20-49歳※	247	184.4	122.1	10.2	0.0	25.8	45.7	90.0	167.6	259.9	378.6	404.1	556.0	
(再掲)40-74歳※	464	215.7	132.1	8.3	0.0	34.4	67.5	115.0	190.0	287.9	403.4	467.3	582.5		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	28.3	62.0	16.0	0.0	0.0	0.0	0.0	0.0	0.0	23.5	103.8	216.2	270.0
	30-39歳	33	46.7	88.8	28.8	0.0	0.0	0.0	0.0	0.0	58.9	216.8	260.8	273.0	
	40-49歳	42	46.3	64.6	9.0	0.0	0.0	0.0	0.0	0.0	66.6	150.3	200.7	242.0	
	50-59歳	64	64.2	80.5	10.6	0.0	0.0	0.0	0.0	0.0	113.4	203.0	227.4	326.7	
	60-69歳	67	87.2	99.4	13.0	0.0	0.0	0.0	0.0	0.0	150.0	211.4	249.9	725.0	
	70歳以上	101	149.9	124.9	16.3	0.0	0.0	0.0	0.0	40.0	210.9	335.1	404.4	506.9	
	(再掲)20歳以上※	340	81.3	103.8	7.6	0.0	0.0	0.0	0.0	0.0	140.0	220.0	272.0	469.3	
	(再掲)65-74歳	81	134.6	119.2	15.3	0.0	0.0	0.0	0.0	10.9	207.2	296.2	374.7	474.5	
	(再掲)75歳以上	60	138.4	123.0	20.3	0.0	0.0	0.0	0.0	40.0	205.4	287.2	423.7	542.0	
	(再掲)20-49歳※	108	41.9	72.3	9.9	0.0	0.0	0.0	0.0	0.0	57.1	160.2	215.8	272.7	
	(再掲)40-74歳※	214	83.7	100.6	6.6	0.0	0.0	0.0	0.0	0.0	146.0	214.9	247.6	463.9	
	女性	20-29歳	30	56.5	85.7	11.6	0.0	0.0	0.0	0.0	0.0	125.0	198.7	235.9	255.0
		30-39歳	45	65.2	88.3	13.6	0.0	0.0	0.0	0.0	0.0	90.0	183.5	303.7	330.0
		40-49歳	64	89.6	134.6	19.5	0.0	0.0	0.0	0.0	0.0	114.2	229.6	377.4	734.0
50-59歳		66	70.8	95.2	12.8	0.0	0.0	0.0	0.0	0.0	124.7	231.6	314.0	341.7	
60-69歳		64	147.3	120.6	14.7	0.0	0.0	0.0	0.0	70.0	206.8	330.1	383.4	600.0	
70歳以上		142	145.3	121.2	10.4	0.0	0.0	0.0	0.0	50.0	212.6	295.4	387.4	518.8	
(再掲)20歳以上※		411	108.9	119.4	7.6	0.0	0.0	0.0	0.0	0.0	172.6	262.0	334.4	513.2	
(再掲)65-74歳		93	161.7	127.7	13.2	0.0	0.0	0.1	0.0	66.4	146.2	345.0	394.9	586.9	
(再掲)75歳以上		86	139.8	121.4	14.8	0.0	0.0	0.0	0.0	41.7	213.6	279.6	411.3	514.0	
(再掲)20-49歳※		139	74.0	111.3	11.2	0.0	0.0	0.0	0.0	0.0	104.0	211.8	270.0	609.1	
(再掲)40-74歳※		250	114.2	123.8	8.3	0.0	0.0	0.0	0.0	0.0	178.2	271.2	356.0	578.5	
男女計		20-29歳	63	41.6	75.0	10.3	0.0	0.0	0.0	0.0	0.0	48.4	192.8	230.7	270.0
		30-39歳	78	55.8	88.5	20.3	0.0	0.0	0.0	0.0	0.0	79.1	205.0	272.9	330.0
		40-49歳	106	67.5	106.8	10.4	0.0	0.0	0.0	0.0	0.0	100.0	199.7	242.0	673.2
	50-59歳	130	67.5	87.9	9.2	0.0	0.0	0.0	0.0	0.0	115.0	203.4	245.9	326.2	
	60-69歳	131	117.7	114.4	12.6	0.0	0.0	0.0	0.0	34.5	171.3	250.0	343.5	574.0	
	70歳以上	243	147.3	122.6	10.7	0.0	0.0	0.0	0.0	44.4	211.5	319.8	394.4	512.7	
	(再掲)20歳以上※	751	95.6	112.9	6.6	0.0	0.0	0.0	0.0	0.0	155.0	242.5	321.9	476.6	
	(再掲)65-74歳	174	148.8	124.2	11.1	0.0	0.0	0.0	0.0	50.0	210.0	337.4	379.6	528.1	
	(再掲)75歳以上	146	139.2	121.7	13.7	0.0	0.0	0.0	0.0	40.0	211.5	275.0	407.2	513.3	
	(再掲)20-49歳※	247	57.5	94.5	9.4	0.0	0.0	0.0	0.0	0.0	85.5	200.0	242.0	393.4	
	(再掲)40-74歳※	464	99.2	113.9	5.6	0.0	0.0	0.0	0.0	0.0	160.0	241.9	328.4	473.3	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセントाइル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	28.3	62.0	16.0	0.0	0.0	0.0	0.0	0.0	0.0	23.5	103.8	216.2	270.0
	30-39歳	33	44.4	83.0	26.8	0.0	0.0	0.0	0.0	0.0	0.0	58.9	216.8	240.0	240.0
	40-49歳	42	37.6	55.1	9.2	0.0	0.0	0.0	0.0	0.0	0.0	63.2	115.5	152.6	242.0
	50-59歳	64	60.4	79.0	10.3	0.0	0.0	0.0	0.0	0.0	0.0	109.0	203.0	227.4	326.7
	60-69歳	67	85.0	99.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0	140.7	210.6	249.9	725.0
	70歳以上	101	146.4	124.0	16.8	0.0	0.0	0.0	0.0	0.0	0.0	211.0	328.4	402.3	480.7
	(再掲)20歳以上※	340	77.6	101.9	7.9	0.0	0.0	0.0	0.0	0.0	0.0	133.0	219.9	262.4	462.3
	(再掲)65-74歳	81	131.7	120.1	16.2	0.0	0.0	0.0	0.0	0.0	0.0	207.2	296.2	374.7	474.2
	(再掲)75歳以上	60	136.4	119.3	20.1	0.0	0.0	0.0	0.0	0.0	0.0	204.9	273.2	413.9	482.0
	(再掲)20-49歳※	108	37.4	66.3	9.9	0.0	0.0	0.0	0.0	0.0	0.0	50.6	141.4	215.8	263.4
	(再掲)40-74歳※	214	78.6	99.6	7.2	0.0	0.0	0.0	0.0	0.0	0.0	133.0	214.9	247.6	458.8
女性	20-29歳	30	50.2	80.9	10.4	0.0	0.0	0.0	0.0	0.0	0.0	100.2	197.4	235.9	255.0
	30-39歳	45	52.3	60.9	8.0	0.0	0.0	0.0	0.0	0.0	0.0	90.0	139.9	157.8	288.0
	40-49歳	64	85.9	134.8	19.8	0.0	0.0	0.0	0.0	0.0	0.0	107.1	229.6	377.4	734.0
	50-59歳	66	65.4	90.7	12.3	0.0	0.0	0.0	0.0	0.0	0.0	117.3	181.7	294.9	341.7
	60-69歳	64	143.9	114.3	14.4	0.0	0.0	0.0	0.0	0.0	0.0	206.8	313.6	374.3	600.0
	70歳以上	142	144.1	120.2	10.3	0.0	0.0	0.0	0.0	0.0	0.0	212.6	295.4	381.3	518.8
	(再掲)20歳以上※	411	104.5	116.2	7.4	0.0	0.0	0.0	0.0	0.0	0.0	161.2	250.0	329.4	513.2
	(再掲)65-74歳	93	160.1	124.7	13.2	0.0	0.0	0.0	0.0	0.0	0.0	220.2	345.0	381.9	586.9
	(再掲)75歳以上	86	138.0	119.6	14.7	0.0	0.0	0.0	0.0	0.0	0.0	213.6	279.6	384.9	514.0
	(再掲)20-49歳※	139	66.8	105.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	199.4	240.0	609.1
	(再掲)40-74歳※	250	110.9	121.8	8.4	0.0	0.0	0.0	0.0	0.0	0.0	176.3	258.1	351.9	578.5
男女計	20-29歳	63	38.6	71.9	10.0	0.0	0.0	0.0	0.0	0.0	0.0	40.0	188.9	230.7	270.0
	30-39歳	78	48.3	72.7	14.9	0.0	0.0	0.0	0.0	0.0	0.0	80.0	165.7	238.6	288.0
	40-49歳	106	61.3	104.8	10.6	0.0	0.0	0.0	0.0	0.0	0.0	90.0	188.3	241.6	673.2
	50-59歳	130	62.9	84.8	9.0	0.0	0.0	0.0	0.0	0.0	0.4	112.7	200.3	230.0	326.0
	60-69歳	131	114.9	110.7	12.3	0.0	0.0	0.0	0.0	0.0	0.0	170.7	250.0	334.7	570.9
	70歳以上	243	145.1	121.6	11.0	0.0	0.0	0.0	0.0	0.0	0.0	211.3	313.8	379.9	512.0
	(再掲)20歳以上※	751	91.5	110.3	6.6	0.0	0.0	0.0	0.0	0.0	0.0	150.0	240.0	300.1	474.6
	(再掲)65-74歳	174	146.5	123.1	11.5	0.0	0.0	0.0	0.0	0.0	0.0	210.0	337.4	374.8	528.1
	(再掲)75歳以上	146	137.3	119.1	13.7	0.0	0.0	0.0	0.0	0.0	0.0	211.2	275.0	387.8	512.6
	(再掲)20-49歳※	247	51.7	88.4	8.4	0.0	0.0	0.0	0.0	0.0	0.0	75.0	187.0	230.0	380.0
	(再掲)40-74歳※	464	95.0	112.5	6.0	0.0	0.0	0.0	0.0	0.0	0.0	150.0	240.0	325.7	472.5

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

性の別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル										
						1	5	10	25	50	75	90	95	99		
男性	20-29歳	33	11.0	17.4	3.8	0.0	0.0	0.0	0.0	0.0	0.0	17.6	41.2	53.1	55.0	
	30-39歳	33	21.7	45.4	11.4	0.0	0.0	0.0	0.0	0.0	0.0	25.4	91.1	158.8	167.9	
	40-49歳	42	17.6	26.2	3.9	0.0	0.0	0.0	0.0	0.0	0.0	28.0	48.9	57.2	149.6	
	50-59歳	64	20.2	33.8	4.5	0.0	0.0	0.0	0.0	0.0	0.0	27.2	74.5	118.9	128.0	
	60-69歳	67	25.8	34.4	4.9	0.0	0.0	0.0	0.0	0.0	0.0	41.9	76.6	105.8	150.4	
	70歳以上	101	27.2	55.1	8.3	0.0	0.0	0.0	0.0	0.0	0.0	25.0	82.0	108.5	294.0	
	(再掲)20歳以上※	340	21.7	40.0	3.8	0.0	0.0	0.0	0.0	0.0	0.0	26.7	57.2	100.0	180.2	
	(再掲)65-74歳	81	25.8	57.0	9.9	0.0	0.0	0.0	0.0	0.0	0.0	25.0	65.0	121.6	299.3	
	(再掲)75歳以上	60	25.1	38.1	4.7	0.0	0.0	0.0	0.0	0.0	0.0	33.5	83.7	100.0	186.0	
	(再掲)20-49歳※	108	17.2	31.9	4.1	0.0	0.0	0.0	0.0	0.0	0.0	25.0	46.9	56.2	165.9	
	(再掲)40-74歳※	214	22.7	41.9	4.4	0.0	0.0	0.0	0.0	0.0	0.0	28.0	60.0	99.0	212.4	
	女性	20-29歳	30	21.3	41.0	8.1	0.0	0.0	0.0	0.0	0.0	0.0	19.5	92.6	131.7	147.6
		30-39歳	45	18.9	37.4	7.7	0.0	0.0	0.0	0.0	0.0	0.0	22.3	43.3	100.6	168.1
		40-49歳	64	23.1	34.7	5.7	0.0	0.0	0.0	0.0	0.0	0.0	35.0	75.3	125.2	128.0
50-59歳		66	10.6	13.9	1.9	0.0	0.0	0.0	0.0	0.0	0.0	18.8	32.5	43.5	50.0	
60-69歳		64	19.1	31.2	3.9	0.0	0.0	0.0	0.0	0.0	0.0	22.1	67.4	87.5	156.3	
70歳以上		142	20.4	45.9	4.8	0.0	0.0	0.0	0.0	0.0	0.0	22.0	52.3	78.7	287.9	
(再掲)20歳以上※		411	19.1	37.1	2.2	0.0	0.0	0.0	0.0	0.0	0.0	22.1	50.0	83.7	166.1	
(再掲)65-74歳		93	22.5	52.3	8.4	0.0	0.0	0.0	0.0	0.0	0.0	22.4	48.7	83.3	287.3	
(再掲)75歳以上		86	15.7	28.3	2.4	0.0	0.0	0.0	0.0	0.0	0.0	20.3	53.4	69.7	240.0	
(再掲)20-49歳※		139	21.3	36.9	4.8	0.0	0.0	0.0	0.0	0.0	0.0	25.0	62.8	126.0	163.2	
(再掲)40-74歳※		250	19.9	39.2	3.3	0.0	0.0	0.0	0.0	0.0	0.0	23.5	50.0	84.6	203.6	
男女計		20-29歳	63	15.9	31.1	4.9	0.0	0.0	0.0	0.0	0.0	0.0	18.5	50.0	88.3	147.6
		30-39歳	78	20.3	41.5	9.5	0.0	0.0	0.0	0.0	0.0	0.0	22.6	45.4	157.5	168.1
		40-49歳	106	20.3	30.7	3.7	0.0	0.0	0.0	0.0	0.0	0.0	30.8	53.6	98.9	146.9
	50-59歳	130	15.4	26.2	2.5	0.0	0.0	0.0	0.0	0.0	0.0	20.0	50.0	74.7	127.4	
	60-69歳	131	22.4	32.9	3.8	0.0	0.0	0.0	0.0	0.0	0.0	30.0	75.2	88.5	152.7	
	70歳以上	243	23.3	50.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	25.0	58.7	100.0	302.5	
	(再掲)20歳以上※	751	20.4	38.6	2.8	0.0	0.0	0.0	0.0	0.0	0.0	25.0	53.5	98.0	168.1	
	(再掲)65-74歳	174	24.1	54.5	9.0	0.0	0.0	0.0	0.0	0.0	0.0	23.4	65.0	88.5	302.5	
	(再掲)75歳以上	146	19.5	32.8	2.6	0.0	0.0	0.0	0.0	0.0	0.0	25.0	56.3	88.7	177.5	
	(再掲)20-49歳※	247	19.2	34.4	3.9	0.0	0.0	0.0	0.0	0.0	0.0	25.0	50.0	100.0	167.9	
(再掲)40-74歳※	464	21.3	40.5	3.8	0.0	0.0	0.0	0.0	0.0	0.0	25.0	55.0	88.5	214.3		

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせた重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	10.4	20.0	3.5	0.0	0.0	0.0	0.0	0.0	0.2	11.1	27.4	52.9	120.6
	30-39歳	33	11.4	17.5	3.1	0.0	0.0	0.0	0.0	0.0	3.1	18.0	44.1	53.7	82.0
	40-49歳	42	8.3	13.8	1.9	0.0	0.0	0.0	0.0	0.0	4.0	10.4	30.4	37.6	80.0
	50-59歳	64	12.9	17.3	2.5	0.0	0.0	0.0	0.0	0.0	4.0	25.0	38.2	43.7	72.0
	60-69歳	67	18.3	24.3	5.7	0.0	0.0	0.0	0.3	8.1	25.0	25.0	50.0	74.0	129.2
	70歳以上	101	15.8	22.6	1.6	0.0	0.0	0.0	0.0	5.0	25.0	25.0	50.4	72.0	107.4
	(再掲)20歳以上※	340	13.3	20.1	1.7	0.0	0.0	0.0	0.0	4.0	19.9	24.8	40.0	60.0	84.7
	(再掲)65-74歳	81	15.2	21.5	2.6	0.0	0.0	0.0	0.0	4.2	24.8	24.8	46.6	64.5	119.2
	(再掲)75歳以上	60	15.7	22.2	2.5	0.0	0.0	0.0	0.0	6.5	24.1	24.1	50.3	70.5	118.5
	(再掲)20-49歳※	108	9.8	16.6	1.6	0.0	0.0	0.0	0.0	3.6	11.7	11.7	28.8	48.0	100.5
	(再掲)40-74歳※	214	13.6	20.1	2.5	0.0	0.0	0.0	0.0	4.0	22.6	22.6	38.9	61.7	85.0
女性	20-29歳	30	3.0	9.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	3.0	4.9	31.2	56.5
	30-39歳	45	13.6	22.3	4.5	0.0	0.0	0.0	0.0	2.0	18.2	18.2	44.6	70.6	90.0
	40-49歳	64	5.2	11.6	1.4	0.0	0.0	0.0	0.0	0.0	0.0	6.0	14.9	38.0	66.1
	50-59歳	66	10.2	18.2	2.0	0.0	0.0	0.0	0.0	4.1	12.0	12.0	27.3	45.4	120.6
	60-69歳	64	15.6	25.3	5.1	0.0	0.0	0.0	0.0	3.0	15.0	15.0	66.1	78.0	84.0
	70歳以上	142	15.8	24.9	1.9	0.0	0.0	0.0	0.0	6.4	24.0	24.0	40.3	70.1	133.8
	(再掲)20歳以上※	411	11.9	21.4	1.6	0.0	0.0	0.0	0.0	2.4	12.5	12.5	36.0	66.1	113.8
	(再掲)65-74歳	93	12.2	19.6	3.0	0.0	0.0	0.0	0.0	2.5	18.4	18.4	42.4	62.6	81.3
	(再掲)75歳以上	86	17.5	28.6	3.2	0.0	0.0	0.0	0.0	7.2	24.0	24.0	49.8	85.3	135.0
	(再掲)20-49歳※	139	7.3	15.8	1.7	0.0	0.0	0.0	0.0	0.0	6.0	6.0	23.6	45.5	81.0
	(再掲)40-74歳※	250	10.9	19.1	1.8	0.0	0.0	0.0	0.0	2.3	12.0	12.0	36.1	64.6	80.0
男女計	20-29歳	63	6.9	16.1	2.3	0.0	0.0	0.0	0.0	0.0	0.0	6.1	26.0	42.8	120.6
	30-39歳	78	12.5	19.9	3.1	0.0	0.0	0.0	0.0	2.0	18.0	18.0	43.6	59.5	90.0
	40-49歳	106	6.8	12.8	1.2	0.0	0.0	0.0	0.0	1.0	7.4	7.4	19.8	36.5	70.2
	50-59歳	130	11.6	17.8	1.6	0.0	0.0	0.0	0.0	4.0	13.8	13.8	37.9	43.8	83.1
	60-69歳	131	16.9	24.8	5.2	0.0	0.0	0.0	0.0	5.0	24.5	24.5	61.0	77.8	100.4
	70歳以上	243	15.8	23.9	1.3	0.0	0.0	0.0	0.0	6.0	24.0	24.0	43.3	71.9	127.0
	(再掲)20歳以上※	751	12.6	20.8	1.6	0.0	0.0	0.0	0.0	3.3	15.0	15.0	38.2	64.0	86.3
	(再掲)65-74歳	174	13.7	20.6	2.6	0.0	0.0	0.0	0.0	3.0	23.2	23.2	45.3	64.6	79.9
	(再掲)75歳以上	146	16.8	26.1	2.5	0.0	0.0	0.0	0.0	6.9	24.0	24.0	49.4	73.7	133.8
	(再掲)20-49歳※	247	8.6	16.3	1.4	0.0	0.0	0.0	0.0	0.8	10.2	10.2	27.6	46.3	80.1
	(再掲)40-74歳※	464	12.2	19.6	2.0	0.0	0.0	0.0	0.0	3.5	14.8	14.8	38.0	63.8	83.2

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセントाइル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	64.0	71.6	13.5	0.0	0.0	0.0	5.9	26.4	98.7	177.3	232.0	235.2	
	30-39歳	33	47.2	52.6	6.3	0.0	0.0	0.0	0.0	25.0	88.8	120.9	164.5	233.8	
	40-49歳	42	55.1	52.1	8.1	0.0	0.0	0.0	11.7	44.7	100.0	128.0	133.9	353.0	
	50-59歳	64	61.4	59.5	7.1	0.0	0.0	0.0	4.2	43.6	100.0	131.6	195.3	245.7	
	60-69歳	67	91.4	81.3	11.3	0.0	0.0	0.0	26.4	87.7	132.1	178.9	287.2	360.2	
	70歳以上	101	103.3	90.3	8.4	0.0	4.5	0.0	35.2	99.2	141.1	183.4	310.0	451.3	
	(再掲)20歳以上※	340	74.7	74.8	4.5	0.0	0.0	0.0	14.3	60.0	116.0	160.0	207.5	364.6	
	(再掲)65-74歳	81	91.0	71.3	6.5	0.0	0.0	0.0	21.4	90.2	141.7	173.0	224.3	312.6	
	(再掲)75歳以上	60	109.2	100.5	11.8	0.0	4.8	0.0	35.3	97.8	138.7	217.2	348.8	464.4	
	(再掲)20-49歳※	108	54.9	57.7	5.0	0.0	0.0	0.0	7.3	40.2	92.2	130.3	167.2	262.2	
	(再掲)40-74歳※	214	74.0	69.2	5.0	0.0	0.0	0.0	14.8	60.6	117.0	150.0	193.3	355.5	
	女性	20-29歳	30	41.5	50.9	9.9	0.0	0.0	0.0	0.0	10.0	84.9	120.9	145.9	175.4
		30-39歳	45	42.4	51.3	7.7	0.0	0.0	0.0	0.0	28.3	70.2	128.7	172.6	178.1
		40-49歳	64	48.0	57.7	7.5	0.0	0.0	0.0	0.0	18.4	79.0	141.0	164.5	246.0
50-59歳		66	45.7	52.4	6.2	0.0	0.0	0.0	0.0	25.9	90.2	109.5	138.8	275.0	
60-69歳		64	65.2	46.6	3.7	0.0	0.0	0.0	27.0	62.8	92.3	119.6	140.1	238.0	
70歳以上		142	79.7	55.0	5.1	0.0	7.5	0.0	37.5	77.1	113.5	153.2	171.3	260.3	
(再掲)20歳以上※		411	59.7	55.1	3.5	0.0	0.0	0.0	5.0	53.0	95.3	137.1	161.9	204.0	
(再掲)65-74歳		93	72.8	51.8	6.7	0.0	0.0	0.0	35.0	71.6	103.3	135.0	168.0	244.8	
(再掲)75歳以上		86	82.2	56.2	5.7	0.0	10.1	0.0	41.5	77.1	113.7	154.8	185.4	375.0	
(再掲)20-49歳※		139	44.7	53.9	5.6	0.0	0.0	0.0	0.0	21.3	78.3	135.2	164.8	214.7	
(再掲)40-74歳※		250	58.0	53.7	3.9	0.0	0.0	0.0	5.0	50.0	95.2	128.9	153.1	230.4	
男女計		20-29歳	63	53.4	63.3	8.9	0.0	0.0	0.0	0.0	24.2	91.5	147.7	184.5	235.2
		30-39歳	78	44.9	51.7	6.1	0.0	0.0	0.0	0.0	26.6	78.8	117.5	170.3	233.8
		40-49歳	106	51.6	54.8	5.6	0.0	0.0	0.0	1.8	40.6	80.4	131.2	142.7	291.6
	50-59歳	130	53.6	56.4	5.5	0.0	0.0	0.0	1.5	40.0	92.5	130.0	151.2	254.9	
	60-69歳	131	78.1	67.1	6.6	0.0	0.0	0.0	27.0	74.7	100.0	152.5	198.1	350.1	
	70歳以上	243	89.8	72.9	5.3	0.0	5.4	0.0	35.3	83.0	125.4	167.5	189.9	375.0	
	(再掲)20歳以上※	751	66.9	65.7	3.5	0.0	0.0	0.0	10.0	55.0	101.0	143.8	174.9	329.0	
	(再掲)65-74歳	174	81.5	62.4	5.9	0.0	3.7	0.0	28.0	81.4	120.7	158.9	183.2	285.5	
	(再掲)75歳以上	146	93.1	78.1	6.6	0.0	10.0	0.0	39.5	80.4	125.0	167.0	211.4	422.7	
	(再掲)20-49歳※	247	49.9	56.0	3.4	0.0	0.0	0.0	0.0	29.8	86.5	131.6	164.2	234.2	
	(再掲)40-74歳※	464	65.8	62.3	3.7	0.0	0.0	0.0	10.0	55.0	101.2	140.8	171.8	289.8	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル										
						1	5	10	25	50	75	90	95	99		
男性	20-29歳	33	43.1	65.1	12.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	172.2	200.0	209.0
	30-39歳	33	29.8	41.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	89.3	116.7	177.8
	40-49歳	42	27.8	39.8	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	121.5	158.3
	50-59歳	64	36.7	49.2	5.2	0.0	0.0	0.0	0.0	0.0	13.9	60.0	111.1	134.8	201.5	210.5
	60-69歳	67	37.6	49.0	6.6	0.0	0.0	0.0	0.0	0.0	7.6	70.0	96.3	137.0	210.0	210.0
	70歳以上	101	60.8	86.8	7.3	0.0	0.0	0.0	0.0	0.0	20.0	99.8	160.0	252.6	442.8	442.8
	(再掲)20歳以上※	340	41.3	61.8	2.5	0.0	0.0	0.0	0.0	0.0	3.0	65.4	119.9	160.0	274.1	274.1
	(再掲)65-74歳	81	45.2	63.3	5.9	0.0	0.0	0.0	0.0	0.0	6.5	77.9	129.7	171.3	291.3	291.3
	(再掲)75歳以上	60	64.1	97.6	12.0	0.0	0.0	0.0	0.0	0.0	20.0	100.0	180.1	264.2	454.4	454.4
	(再掲)20-49歳※	108	32.3	47.8	3.5	0.0	0.0	0.0	0.0	0.0	0.0	60.0	100.9	122.8	205.7	205.7
	(再掲)40-74歳※	214	38.0	52.2	2.8	0.0	0.0	0.0	0.0	0.0	4.0	60.0	117.3	136.2	213.9	213.9
女性	20-29歳	30	26.2	38.0	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	98.1	99.9	130.0
	30-39歳	45	27.6	45.9	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90.0	142.5	176.0
	40-49歳	64	27.0	47.4	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.8	121.5	240.0
	50-59歳	66	27.5	45.4	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	97.0	119.9	240.0
	60-69歳	64	30.5	41.7	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	93.7	108.2	170.7
	70歳以上	142	34.5	45.7	4.8	0.0	0.0	0.0	0.0	0.0	12.7	61.8	99.9	111.1	198.9	198.9
	(再掲)20歳以上※	411	30.1	44.6	2.7	0.0	0.0	0.0	0.0	0.0	0.0	57.8	97.4	118.2	173.4	173.4
	(再掲)65-74歳	93	36.6	41.9	4.9	0.0	0.0	0.0	0.0	0.0	0.0	73.5	99.8	103.4	159.1	159.1
	(再掲)75歳以上	86	34.0	48.4	5.9	0.0	0.0	0.0	0.0	0.0	6.0	60.0	94.7	118.6	375.0	375.0
	(再掲)20-49歳※	139	27.0	44.6	4.6	0.0	0.0	0.0	0.0	0.0	0.0	52.0	96.2	121.4	207.8	207.8
	(再掲)40-74歳※	250	29.9	44.1	2.7	0.0	0.0	0.0	0.0	0.0	0.0	58.2	98.1	118.1	176.8	176.8
男女計	20-29歳	63	35.1	54.4	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	102.7	177.6	209.0
	30-39歳	78	28.8	43.3	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90.0	120.0	177.8
	40-49歳	106	27.4	43.5	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	97.3	121.2	224.8
	50-59歳	130	32.2	47.4	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	126.2	213.6
	60-69歳	131	34.0	45.4	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	93.7	114.9	191.5
	70歳以上	243	45.7	67.5	3.6	0.0	0.0	0.0	0.0	0.0	16.3	78.7	121.4	157.2	375.0	375.0
	(再掲)20歳以上※	751	35.5	53.8	2.0	0.0	0.0	0.0	0.0	0.0	0.0	60.0	100.1	129.9	235.7	235.7
	(再掲)65-74歳	174	40.7	53.3	3.9	0.0	0.0	0.0	0.0	0.0	12.8	75.0	104.1	136.7	242.1	242.1
	(再掲)75歳以上	146	46.1	73.6	5.0	0.0	0.0	0.0	0.0	0.0	10.4	77.0	121.2	173.4	417.4	417.4
	(再掲)20-49歳※	247	29.7	46.3	2.8	0.0	0.0	0.0	0.0	0.0	0.0	53.7	97.1	121.4	200.9	200.9
	(再掲)40-74歳※	464	33.9	48.4	2.2	0.0	0.0	0.0	0.0	0.0	0.0	60.0	100.0	125.0	209.7	209.7

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	146.1	94.9	13.2	0.0	3.6	22.5	67.5	143.0	218.3	301.0	324.5	339.7	
	30-39歳	33	161.5	98.6	15.3	0.0	30.7	48.3	92.1	138.4	227.7	338.1	384.3	393.6	
	40-49歳	42	118.7	70.4	10.4	0.0	2.0	26.9	60.0	128.7	157.6	220.6	272.0	275.9	
	50-59歳	64	122.3	91.9	9.6	0.0	0.0	12.0	47.1	109.8	194.1	235.6	279.2	607.3	
	60-69歳	67	98.1	80.4	9.8	0.0	0.0	0.0	40.0	97.6	128.8	219.3	240.0	460.0	
	70歳以上	101	84.8	78.5	8.6	0.0	0.0	0.0	33.1	81.1	107.6	164.7	239.5	464.4	
	(再掲)20歳以上※	340	115.3	87.7	5.4	0.0	0.0	10.0	48.5	101.0	158.8	227.8	273.5	390.5	
	(再掲)65-74歳	81	106.5	90.8	9.7	0.0	0.0	16.2	45.0	89.8	124.2	237.5	264.9	468.2	
	(再掲)75歳以上	60	65.5	55.8	6.5	0.0	0.0	0.0	7.2	64.6	102.7	147.5	165.3	203.3	
	(再掲)20-49歳※	108	138.9	87.7	8.6	0.0	10.0	37.5	73.5	134.3	187.0	245.8	314.0	390.9	
	(再掲)40-74歳※	214	112.4	83.9	6.2	0.0	0.0	14.4	48.0	102.1	156.2	226.0	259.5	445.9	
	女性	20-29歳	30	119.1	72.4	11.9	16.7	16.7	33.4	46.2	104.9	173.9	232.7	244.0	264.0
		30-39歳	45	101.2	82.1	10.9	0.0	6.5	13.5	30.7	70.6	153.6	215.9	290.8	302.3
40-49歳		64	95.0	69.0	8.6	0.0	0.0	0.0	39.9	89.6	128.4	186.4	209.8	467.4	
50-59歳		66	93.5	66.5	7.2	0.0	0.0	16.1	40.2	79.5	137.4	194.9	222.2	282.7	
60-69歳		64	76.5	58.1	8.9	0.0	0.0	0.0	37.5	66.2	95.7	159.3	205.0	236.7	
70歳以上		142	60.3	61.0	4.1	0.0	0.0	0.0	16.0	50.0	89.3	119.6	174.1	304.6	
(再掲)20歳以上※		411	83.1	68.7	3.9	0.0	0.0	0.0	32.7	70.9	117.4	180.4	213.7	293.4	
(再掲)65-74歳		93	69.1	64.9	6.6	0.0	0.0	0.0	24.1	60.0	94.2	142.6	195.5	428.2	
(再掲)75歳以上		86	58.0	57.0	5.9	0.0	0.0	0.0	11.0	50.0	82.3	122.5	197.2	292.5	
(再掲)20-49歳※		139	102.7	74.3	6.5	0.0	0.0	16.7	44.8	91.0	150.0	207.8	243.5	301.3	
(再掲)40-74歳※		250	83.1	66.0	5.0	0.0	0.0	1.8	36.6	73.9	116.4	171.9	207.9	276.4	
男女計		20-29歳	63	133.4	85.6	9.4	0.0	9.3	33.8	62.3	130.7	189.5	243.3	303.5	339.7
		30-39歳	78	132.1	95.3	12.2	0.0	12.1	19.7	60.1	116.5	172.7	246.2	351.7	393.6
	40-49歳	106	107.1	70.4	6.9	0.0	0.0	11.0	50.0	104.9	145.0	207.6	231.4	333.9	
	50-59歳	130	108.0	81.3	5.9	0.0	0.0	16.1	41.4	92.5	165.0	223.0	245.3	300.8	
	60-69歳	131	87.2	70.6	7.6	0.0	0.0	0.0	37.5	70.4	123.1	198.4	221.8	338.4	
	70歳以上	243	70.7	69.9	5.0	0.0	0.0	0.0	22.1	59.6	100.0	148.2	197.2	404.2	
	(再掲)20歳以上※	751	98.6	80.0	4.1	0.0	0.0	6.0	40.0	82.5	140.0	214.2	244.1	366.1	
	(再掲)65-74歳	174	87.0	80.4	7.0	0.0	0.0	1.9	37.5	76.7	107.5	195.0	239.1	464.0	
	(再掲)75歳以上	146	61.0	56.5	5.2	0.0	0.0	0.0	9.2	51.4	90.0	131.0	171.0	267.4	
	(再掲)20-49歳※	247	121.3	83.3	5.9	0.0	0.0	20.0	59.4	113.8	161.9	228.0	275.7	381.7	
	(再掲)40-74歳※	464	97.5	76.7	4.7	0.0	0.0	8.9	40.8	82.5	136.6	208.0	236.1	308.1	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量 (20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル										
						1	5	10	25	50	75	90	95	99		
男性	20-29歳	33	138.8	123.8	19.9	0.0	0.0	0.0	0.0	0.0	142.0	249.6	320.8	345.7	385.9	
	30-39歳	33	104.3	123.4	22.4	0.0	0.0	0.0	0.0	0.0	75.0	163.3	256.3	450.0	569.8	
	40-49歳	42	68.0	88.3	13.5	0.0	0.0	0.0	0.0	0.0	25.6	104.6	204.9	291.1	300.0	
	50-59歳	64	111.7	117.2	18.4	0.0	0.0	0.0	0.0	0.0	70.5	206.0	310.4	335.7	407.0	
	60-69歳	67	131.9	141.9	11.9	0.0	0.0	0.0	0.0	0.0	100.0	203.1	335.4	450.0	621.5	
	70歳以上	101	156.6	134.7	13.4	0.0	0.0	0.0	0.0	0.0	181.2	233.4	340.1	407.3	560.2	
	(再掲)20歳以上※	340	120.8	126.5	7.2	0.0	0.0	0.0	0.0	0.0	85.0	206.0	309.0	355.7	491.8	
	(再掲)65-74歳	81	156.4	149.1	16.0	0.0	0.0	0.0	0.0	0.0	124.9	244.9	385.1	416.9	621.3	
	(再掲)75歳以上	60	133.6	123.4	16.1	0.0	0.0	0.0	0.0	0.0	159.9	222.9	307.7	354.1	425.0	
	(再掲)20-49歳※	108	97.1	112.4	9.8	0.0	0.0	0.0	0.0	0.0	61.8	184.9	257.7	301.0	531.1	
	(再掲)40-74歳※	214	118.2	128.4	9.5	0.0	0.0	0.0	0.0	0.0	77.9	191.2	310.7	375.3	492.8	
	女性	20-29歳	30	142.4	154.7	44.5	0.0	0.0	0.0	0.0	0.0	95.0	246.2	373.8	468.0	510.7
		30-39歳	45	90.3	127.4	15.4	0.0	0.0	0.0	0.0	0.0	28.7	137.6	273.9	467.8	497.0
		40-49歳	64	122.9	143.5	18.2	0.0	0.0	0.0	0.0	0.0	80.9	242.1	285.9	408.4	770.0
50-59歳		66	177.6	169.2	23.5	0.0	0.0	0.0	0.0	0.0	112.0	277.1	399.5	563.3	698.8	
60-69歳		64	132.6	124.9	14.2	0.0	0.0	0.0	0.0	0.0	108.9	228.5	310.9	373.1	483.3	
70歳以上		142	153.6	133.1	9.0	0.0	0.0	0.0	0.0	0.0	153.1	234.4	318.0	356.4	739.5	
(再掲)20歳以上※		411	140.7	142.2	8.4	0.0	0.0	0.0	0.0	0.0	104.6	235.9	318.3	406.5	615.5	
(再掲)65-74歳		93	149.2	126.6	12.6	0.0	0.0	0.0	0.0	0.0	103.2	243.9	337.2	368.3	567.5	
(再掲)75歳以上		86	150.1	140.6	14.5	0.0	0.0	0.0	0.0	0.0	155.2	221.5	301.3	381.7	988.8	
(再掲)20-49歳※		139	117.3	142.0	17.5	0.0	0.0	0.0	0.0	0.0	69.5	206.0	303.4	439.3	584.4	
(再掲)40-74歳※		250	146.9	142.3	8.5	0.0	0.0	0.0	0.0	0.0	106.9	252.0	322.2	413.9	619.1	
男女計		20-29歳	63	140.5	138.3	23.8	0.0	0.0	0.0	0.0	0.0	111.4	251.2	324.6	385.1	510.7
		30-39歳	78	97.5	124.9	14.2	0.0	0.0	0.0	0.0	0.0	46.8	139.3	256.1	415.6	569.8
		40-49歳	106	94.9	121.4	10.1	0.0	0.0	0.0	0.0	0.0	35.0	165.2	257.4	298.5	678.5
	50-59歳	130	144.5	148.7	19.0	0.0	0.0	0.0	0.0	0.0	100.0	245.9	333.3	407.0	643.3	
	60-69歳	131	132.3	133.1	8.9	0.0	0.0	0.0	0.0	0.0	104.6	206.1	326.5	398.9	550.7	
	70歳以上	243	154.9	133.6	8.0	0.0	0.0	0.0	0.0	0.0	157.8	231.8	318.5	384.4	487.0	
	(再掲)20歳以上※	751	131.1	135.1	6.9	0.0	0.0	0.0	0.0	0.0	100.0	213.0	309.8	381.2	510.7	
	(再掲)65-74歳	174	152.6	137.5	11.4	0.0	0.0	0.0	0.0	0.0	110.0	245.6	347.8	412.1	618.6	
	(再掲)75歳以上	146	143.4	133.8	11.9	0.0	0.0	0.0	0.0	0.0	157.0	223.1	299.7	355.8	559.0	
	(再掲)20-49歳※	247	106.9	127.8	9.7	0.0	0.0	0.0	0.0	0.0	62.2	185.6	284.1	338.8	510.2	
	(再掲)40-74歳※	464	132.8	136.3	7.8	0.0	0.0	0.0	0.0	0.0	100.0	210.2	318.2	381.0	616.9	

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※ 保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセンタイル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	16.4	10.3	1.57	1.0	1.3	5.0	9.6	13.9	20.0	33.8	39.2	43.9	
	30-39歳	33	11.8	7.9	1.32	0.0	1.5	2.1	5.9	10.0	17.9	21.8	27.8	33.1	
	40-49歳	42	15.5	10.0	1.46	0.0	0.6	2.7	8.8	13.8	22.9	28.8	33.5	44.1	
	50-59歳	64	14.5	9.8	1.30	0.0	0.3	2.3	6.9	12.8	21.0	29.7	33.8	42.6	
	60-69歳	67	12.5	9.1	1.28	0.0	0.0	0.6	6.0	11.8	17.2	25.2	28.6	47.0	
	70歳以上	101	12.2	10.9	1.13	0.0	0.0	0.0	3.7	9.9	17.2	30.8	33.8	50.9	
	(再掲)20歳以上※	340	13.6	9.9	0.62	0.0	0.0	1.4	6.0	12.0	19.2	28.0	33.1	42.4	
	(再掲)65-74歳	81	14.4	10.8	1.01	0.0	0.0	1.2	7.0	12.5	19.5	31.6	33.7	54.9	
	(再掲)75歳以上	60	9.9	9.5	1.18	0.0	0.0	0.0	2.0	7.6	15.1	22.7	31.1	39.4	
	(再掲)20-49歳※	108	14.6	9.6	0.80	0.0	1.4	3.1	7.0	13.0	19.7	27.8	33.7	44.0	
	(再掲)40-74歳※	214	14.4	10.1	0.82	0.0	0.0	1.6	7.0	12.5	20.3	28.8	33.4	43.7	
女性	20-29歳	30	12.1	8.6	1.34	0.0	0.0	0.0	5.8	12.0	17.1	22.1	29.1	32.2	
	30-39歳	45	7.9	7.6	1.16	0.0	0.0	0.0	1.2	5.6	15.0	18.2	22.7	26.6	
	40-49歳	64	11.6	9.7	1.29	0.0	0.0	0.2	4.2	10.0	15.7	24.0	33.0	49.2	
	50-59歳	66	13.4	8.9	1.04	0.0	0.0	1.4	5.9	13.5	19.1	22.7	28.9	39.6	
	60-69歳	64	10.4	8.7	0.92	0.0	0.0	0.1	2.9	10.8	17.0	22.8	24.5	35.8	
	70歳以上	142	9.9	9.4	1.10	0.0	0.0	0.0	2.6	7.6	13.4	23.6	27.9	41.2	
	(再掲)20歳以上※	411	10.8	9.1	0.70	0.0	0.0	0.0	3.1	9.6	16.1	23.0	26.8	39.4	
	(再掲)65-74歳	93	10.3	9.8	1.10	0.0	0.0	0.3	2.9	7.5	14.5	24.5	30.4	50.1	
	(再掲)75歳以上	86	9.0	8.2	1.00	0.0	0.0	0.0	2.5	7.6	13.0	23.1	25.6	39.4	
	(再掲)20-49歳※	139	10.6	9.0	0.96	0.0	0.0	0.0	2.4	10.0	16.0	21.4	30.8	38.4	
	(再掲)40-74歳※	250	11.7	9.5	0.76	0.0	0.0	0.5	4.0	10.6	17.1	23.6	30.7	39.7	
男女計	20-29歳	63	14.3	9.7	0.95	0.0	0.0	1.2	7.4	13.0	19.7	29.1	36.4	43.9	
	30-39歳	78	9.9	8.0	0.77	0.0	0.0	0.4	2.2	9.2	16.5	19.6	25.7	33.1	
	40-49歳	106	13.6	10.0	0.99	0.0	0.0	2.1	6.0	12.0	18.8	28.2	33.6	46.0	
	50-59歳	130	13.9	9.3	0.74	0.0	0.0	1.9	6.4	12.9	20.4	26.2	32.7	39.7	
	60-69歳	131	11.5	8.9	0.95	0.0	0.0	0.3	3.9	11.0	17.1	23.3	27.2	38.4	
	70歳以上	243	10.9	10.1	0.91	0.0	0.0	0.0	3.0	8.0	15.0	26.0	32.1	40.0	
	(再掲)20歳以上※	751	12.1	9.6	0.59	0.0	0.0	0.8	4.2	11.0	17.5	25.4	32.0	39.4	
	(再掲)65-74歳	174	12.3	10.5	0.81	0.0	0.0	1.0	4.0	10.8	17.3	27.7	33.0	50.2	
	(再掲)75歳以上	146	9.4	8.7	0.84	0.0	0.0	0.0	2.3	7.6	13.8	22.8	28.3	39.4	
	(再掲)20-49歳※	247	12.6	9.5	0.62	0.0	0.0	1.0	5.0	11.6	18.2	25.6	32.3	41.7	
	(再掲)40-74歳※	464	13.0	9.9	0.69	0.0	0.0	1.0	5.5	12.0	18.2	26.2	33.0	40.7	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量 (20歳以上性年齢階級別)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセントایل									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	104.3	224.9	38.0	0.0	0.0	0.0	0.0	0.0	8.9	354.9	729.5	883.3	
	30-39歳	33	232.4	396.4	74.8	0.0	0.0	0.0	0.0	2.5	357.5	757.7	1154.1	1724.0	
	40-49歳	42	208.1	407.0	56.7	0.0	0.0	0.0	0.0	2.0	350.2	921.9	1503.2	1514.0	
	50-59歳	64	144.4	256.3	40.3	0.0	0.0	0.0	0.0	0.0	348.7	503.2	745.6	1059.8	
	60-69歳	67	173.3	293.0	31.4	0.0	0.0	0.0	0.0	0.0	352.4	589.2	897.9	1412.0	
	70歳以上	101	147.2	243.3	26.4	0.0	0.0	0.0	0.0	2.4	298.5	551.4	667.7	1109.2	
	(再掲)20歳以上※	340	168.5	308.9	20.4	0.0	0.0	0.0	0.0	0.9	350.0	560.6	781.2	1506.7	
	(再掲)65-74歳	81	217.3	305.7	34.7	0.0	0.0	0.0	0.0	3.8	359.0	651.3	918.4	1387.7	
	(再掲)75歳以上	60	108.8	212.4	38.8	0.0	0.0	0.0	0.0	2.3	75.2	544.7	694.4	706.3	
	(再掲)20-49歳※	108	189.5	366.9	38.7	0.0	0.0	0.0	0.0	1.0	351.4	705.4	1044.4	1671.5	
	(再掲)40-74歳※	214	180.2	317.6	25.8	0.0	0.0	0.0	0.0	0.6	352.0	564.6	926.2	1506.5	
	女性	20-29歳	30	16.4	53.5	10.6	0.0	0.0	0.0	0.0	0.0	0.9	34.8	194.3	200.0
		30-39歳	45	1.6	5.7	0.7	0.0	0.0	0.0	0.0	0.0	1.4	4.0	7.5	45.4
40-49歳		64	89.1	296.4	36.1	0.0	0.0	0.0	0.0	0.0	4.7	353.7	552.8	2016.0	
50-59歳		66	42.9	189.4	16.3	0.0	0.0	0.0	0.0	0.0	2.4	12.5	353.0	2018.0	
60-69歳		64	44.7	142.9	17.7	0.0	0.0	0.0	0.0	0.0	3.0	118.5	353.0	1060.1	
70歳以上		142	16.0	62.2	6.0	0.0	0.0	0.0	0.0	0.0	2.0	9.6	116.8	353.7	
(再掲)20歳以上※		411	34.8	157.4	7.5	0.0	0.0	0.0	0.0	0.0	2.0	15.0	292.7	704.3	
(再掲)65-74歳		93	26.6	96.8	9.9	0.0	0.0	0.0	0.0	0.0	2.4	50.4	236.7	673.8	
(再掲)75歳以上		86	7.3	35.1	3.5	0.0	0.0	0.0	0.0	0.0	2.0	6.8	16.0	254.5	
(再掲)20-49歳※		139	44.3	203.2	17.3	0.0	0.0	0.0	0.0	0.0	2.0	10.0	352.8	1396.6	
(再掲)40-74歳※		250	53.0	199.6	11.9	0.0	0.0	0.0	0.0	0.0	3.0	123.6	353.0	1027.3	
男女計		20-29歳	63	62.8	172.3	22.7	0.0	0.0	0.0	0.0	0.0	3.0	353.0	405.4	883.3
		30-39歳	78	119.8	304.5	41.0	0.0	0.0	0.0	0.0	0.5	5.4	505.1	757.6	1724.0
	40-49歳	106	149.8	360.3	39.9	0.0	0.0	0.0	0.0	0.0	12.7	504.0	1036.6	1858.1	
	50-59歳	130	93.8	230.4	21.8	0.0	0.0	0.0	0.0	0.0	7.0	360.8	593.4	1058.4	
	60-69歳	131	108.0	237.7	17.9	0.0	0.0	0.0	0.0	0.0	18.3	363.6	649.4	1162.0	
	70歳以上	243	71.6	177.3	13.5	0.0	0.0	0.0	0.0	0.0	7.5	352.0	532.5	885.7	
	(再掲)20歳以上※	751	99.3	251.5	12.2	0.0	0.0	0.0	0.0	0.0	8.5	356.8	602.9	1328.4	
	(再掲)65-74歳	174	118.0	241.9	16.4	0.0	0.0	0.0	0.0	0.0	90.3	398.9	651.3	1151.3	
	(再掲)75歳以上	146	48.2	145.8	16.4	0.0	0.0	0.0	0.0	0.0	5.0	130.3	532.1	706.1	
	(再掲)20-49歳※	247	119.1	307.1	24.5	0.0	0.0	0.0	0.0	0.0	8.4	371.9	755.3	1560.4	
	(再掲)40-74歳※	464	115.6	271.6	15.3	0.0	0.0	0.0	0.0	0.0	12.3	362.9	651.6	1500.0	

注) 値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上性年齢階級別)

その他の嗜好飲料類(g)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセントाइル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	500.5	369.7	73.2	0.0	0.0	0.0	200.0	508.3	681.1	988.9	1254.3	1442.0	
	30-39歳	33	563.3	490.4	141.6	0.0	0.0	0.0	150.4	464.2	930.7	1211.6	1462.2	1598.0	
	40-49歳	42	546.6	355.6	48.3	0.0	0.0	95.8	268.9	502.4	786.0	1060.6	1263.3	1456.6	
	50-59歳	64	533.3	408.4	43.9	0.0	0.0	6.4	182.2	436.6	777.5	1106.1	1316.5	1846.3	
	60-69歳	67	707.5	618.3	81.1	0.0	0.0	0.0	310.6	583.4	851.9	1497.2	2161.8	2900.0	
	70歳以上	101	637.8	477.8	48.7	0.0	0.0	146.7	300.0	601.3	810.8	1327.7	1701.2	2104.3	
	(再掲)20歳以上※	340	592.5	468.9	30.9	0.0	0.0	0.0	230.0	526.6	803.6	1198.3	1496.9	2137.6	
	(再掲)65-74歳	81	592.4	384.4	42.2	0.0	0.0	123.8	316.6	600.9	755.7	1017.1	1247.2	2337.4	
	(再掲)75歳以上	60	653.4	545.4	83.0	0.0	0.0	150.0	216.8	500.6	893.1	1554.7	2015.1	2106.0	
	(再掲)20-49歳※	108	540.2	403.0	55.0	0.0	0.0	0.0	200.0	503.4	794.5	1189.7	1268.8	1582.8	
	(再掲)40-74歳※	214	599.4	459.8	35.4	0.0	0.0	100.0	277.0	550.7	797.7	1150.3	1426.3	2328.0	
	女性	20-29歳	30	383.9	395.5	80.4	0.0	0.0	0.0	38.6	288.4	500.0	1010.3	1409.0	1440.0
30-39歳		45	527.5	395.2	75.2	0.0	0.0	0.0	180.9	450.8	831.2	1141.4	1221.3	1360.0	
40-49歳		64	657.8	535.2	90.7	0.0	0.0	116.0	300.6	547.6	891.4	1277.3	1952.5	3030.0	
50-59歳		66	595.9	411.5	55.8	0.0	33.0	143.7	350.0	529.0	797.5	1142.0	1500.2	2180.0	
60-69歳		64	537.5	356.8	51.1	0.0	0.0	100.8	270.9	451.3	763.7	1022.0	1212.0	1642.0	
70歳以上		142	590.3	418.4	58.8	0.0	0.0	88.5	296.9	502.3	888.2	1200.0	1492.6	1728.7	
(再掲)20歳以上※		411	568.7	428.6	30.5	0.0	0.0	50.0	239.8	500.0	807.4	1113.8	1360.0	1999.4	
(再掲)65-74歳		93	550.4	384.5	39.5	0.0	0.0	55.9	200.2	500.0	810.0	1098.4	1331.4	1593.5	
(再掲)75歳以上		86	614.4	450.6	78.2	0.0	0.0	53.5	295.2	513.6	923.4	1201.7	1540.9	1958.0	
(再掲)20-49歳※		139	551.5	473.3	57.8	0.0	0.0	0.0	200.0	468.6	806.8	1113.7	1352.7	2459.1	
(再掲)40-74歳※		250	587.6	426.4	38.3	0.0	0.0	126.8	300.6	501.9	800.7	1101.4	1345.1	2221.8	
男女計		20-29歳	63	445.5	383.9	62.0	0.0	0.0	0.0	123.1	438.2	623.6	983.7	1273.2	1442.0
	30-39歳	78	545.8	444.0	91.4	0.0	0.0	0.0	158.0	450.1	870.0	1193.9	1321.0	1598.0	
	40-49歳	106	601.1	454.4	49.1	0.0	0.0	143.2	288.3	532.1	805.2	1135.5	1345.0	2752.0	
	50-59歳	130	564.5	409.9	38.5	0.0	0.0	100.0	234.5	500.0	790.5	1142.0	1317.8	1974.3	
	60-69歳	131	621.2	508.5	58.9	0.0	0.0	46.2	301.6	500.0	805.2	1158.4	1581.0	2680.5	
	70歳以上	243	610.5	444.4	47.0	0.0	0.0	125.8	300.0	548.7	847.1	1201.3	1501.7	2023.8	
	(再掲)20歳以上※	751	580.2	448.4	25.2	0.0	0.0	2.7	233.7	503.0	807.0	1175.1	1430.0	2124.0	
	(再掲)65-74歳	174	570.5	384.2	34.8	0.0	0.0	100.0	302.0	548.9	757.2	1022.0	1304.2	1615.9	
	(再掲)75歳以上	146	630.1	489.9	71.5	0.0	0.0	106.0	295.6	505.5	918.3	1362.0	1658.4	2068.7	
	(再掲)20-49歳※	247	545.7	437.8	41.9	0.0	0.0	0.0	200.0	500.0	804.0	1134.5	1308.0	2131.3	
	(再掲)40-74歳※	464	593.4	442.8	29.8	0.0	0.0	114.1	290.1	537.1	800.0	1140.1	1348.2	2263.1	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。

食品群別摂取量(20歳以上・性年齢階級別)

調味料類(B)

性別	年齢区分	人数	平均値	標準偏差	標準誤差	パーセントाइル									
						1	5	10	25	50	75	90	95	99	
男性	20-29歳	33	61.1	35.4	5.9	16.5	17.5	26.4	37.0	55.0	76.1	97.5	138.7	191.0	
	30-39歳	33	58.4	24.0	4.9	14.7	29.3	34.1	41.0	54.0	71.1	89.4	122.2	135.2	
	40-49歳	42	62.0	30.7	4.5	18.0	20.8	24.1	42.8	59.0	72.3	114.5	133.6	150.9	
	50-59歳	64	73.0	35.9	6.3	10.5	13.1	26.5	49.7	70.4	92.8	122.4	146.7	169.7	
	60-69歳	67	65.4	32.1	3.9	18.2	23.4	32.5	46.2	59.7	79.7	98.2	112.5	300.0	
	70歳以上	101	70.6	44.3	4.4	10.9	17.0	24.0	36.7	60.3	92.8	133.7	148.9	199.3	
	(再掲)20歳以上※	340	66.0	35.7	2.3	10.9	21.2	28.7	42.1	59.6	84.2	112.0	134.5	192.6	
	(再掲)65-74歳	81	75.3	41.5	3.2	13.9	23.7	31.4	45.8	63.8	97.4	135.4	147.7	284.9	
	(再掲)75歳以上	60	60.4	42.4	6.0	10.9	12.2	23.0	32.0	46.9	79.6	108.7	154.0	199.8	
	(再掲)20-49歳※	108	60.6	29.9	3.1	16.4	22.6	30.2	41.4	56.6	72.7	91.4	127.0	181.6	
	(再掲)40-74歳※	214	69.7	35.7	2.7	10.9	21.1	28.9	45.1	63.1	89.0	121.9	137.0	180.2	
	女性	20-29歳	30	53.7	30.3	3.0	13.4	14.6	18.8	29.8	53.1	69.6	97.4	123.4	137.5
		30-39歳	45	54.3	27.2	3.2	0.0	21.6	25.2	38.4	51.8	67.6	89.0	110.3	176.4
		40-49歳	64	56.7	41.0	5.7	1.7	6.5	15.9	33.6	45.7	75.1	105.0	108.2	277.1
50-59歳		66	56.0	24.5	3.0	8.6	23.1	24.4	39.6	55.0	69.3	90.2	111.0	127.9	
60-69歳		64	62.7	23.8	3.1	9.7	28.2	32.7	43.6	59.4	82.7	93.8	100.0	118.0	
70歳以上		142	61.4	43.1	5.2	3.1	19.2	24.9	33.2	47.9	70.5	120.8	166.2	205.1	
(再掲)20歳以上※		411	58.6	35.1	2.3	2.8	19.1	24.4	36.0	51.9	72.7	96.9	117.2	204.0	
(再掲)65-74歳		93	63.9	39.9	6.2	18.6	23.2	28.2	37.9	53.3	73.7	102.4	165.7	201.9	
(再掲)75歳以上		86	57.2	39.4	3.7	0.9	13.1	23.8	32.8	45.2	66.9	107.7	141.0	205.5	
(再掲)20-49歳※		139	55.2	34.5	2.9	0.3	13.1	21.6	33.7	50.5	70.0	93.3	108.2	227.1	
(再掲)40-74歳※		250	60.6	35.5	3.1	3.0	20.4	26.9	37.2	54.8	75.5	96.6	111.8	197.7	
男女計		20-29歳	63	57.6	33.1	3.4	13.4	17.4	22.4	34.2	53.7	72.3	96.3	116.0	191.0
		30-39歳	78	56.4	25.5	3.4	0.0	23.0	30.5	39.1	52.3	70.2	89.2	110.8	176.4
		40-49歳	106	59.4	36.1	4.1	2.5	16.0	22.7	36.1	54.3	72.9	106.5	120.7	246.6
	50-59歳	130	64.5	31.8	4.0	10.6	16.3	25.0	41.5	60.4	80.9	111.1	128.4	165.4	
	60-69歳	131	64.1	28.2	2.9	10.9	28.2	32.5	45.7	59.5	82.1	96.5	102.4	165.8	
	70歳以上	243	65.3	43.8	4.4	7.3	19.2	24.6	35.1	51.9	84.0	132.1	163.0	204.4	
	(再掲)20歳以上※	751	62.2	35.5	2.1	10.2	19.5	26.2	38.6	55.8	76.5	103.2	132.6	194.8	
	(再掲)65-74歳	174	69.3	41.0	4.2	15.9	23.6	28.8	41.7	59.5	88.7	126.0	159.3	199.7	
	(再掲)75歳以上	146	58.5	40.5	3.8	3.3	12.9	23.3	32.8	45.4	71.1	106.3	141.2	204.2	
	(再掲)20-49歳※	247	58.0	32.3	2.5	2.7	17.5	23.7	36.8	53.7	71.3	92.9	117.5	182.8	
	(再掲)40-74歳※	464	65.1	35.9	2.5	9.4	20.5	28.0	40.4	59.8	82.9	107.4	132.8	195.0	

注)値は保健所圏域ごとの標本数の偏りを調整する重み付けをして算出。

※保健所圏域ごとの標本数の偏りを調整する重み付けと県の実際のR1人口構成に合わせるための重み付けをした値。