

20 死 因 順 位 , 年 次 別 (長 野 県) 昭和22年～令和3年

年 次	第 1 位				第 2 位				第 3 位				第 4 位				第 5 位			
	死 因	死亡者数	死亡率		死 因	死亡者数	死亡率		死 因	死亡者数	死亡率		死 因	死亡者数	死亡率		死 因	死亡者数	死亡率	
昭 和 22 年	脳血管疾患	3,216	156.1		肺炎及び気管支炎	3,136	152.2		全結核	2,980	144.7		老 衰	2,511	121.9		老 衰	2,080	101.0	
23	"	3,080	148.1		全結核	3,043	146.8		胃腸炎	2,010	96.6		肺炎及び気管支炎	1,827	87.8		"	1,700	81.7	
24	"	3,218	151.0		"	2,609	122.4		肺炎及び気管支炎	1,890	88.7		老 衰	1,700	79.8		心疾患	1,603	75.2	
25	"	3,647	177.0		"	2,183	105.9		悪性新生物	1,864	90.4		心疾患	1,628	79.0		肺炎及び気管支炎	1,645	79.8	
26	"	3,445	168.1		悪性新生物	1,895	92.5		心疾患	1,715	83.7		全結核	1,523	74.3		"	1,484	72.4	
27	"	3,650	179.3		"	1,897	93.2		"	1,522	74.8		老 衰	1,343	66.0		全結核	1,205	59.2	
28	"	3,968	195.8		"	1,924	94.9		"	1,806	89.2		"	1,544	76.2		肺炎及び気管支炎	1,324	65.3	
30	"	3,872	191.6		"	2,133	105.5		"	1,718	85.0		"	1,311	64.9		"	995	49.2	
35	"	4,841	244.3		"	2,323	117.2		"	1,910	96.4		"	1,267	63.9		"	1,010	51.0	
40	"	5,595	285.7		"	2,499	127.6		"	2,181	111.4		"	1,083	55.3		"	841	43.0	
41	"	5,298	271.4		"	2,510	128.6		"	1,847	94.6		"	880	45.1		不慮の事故	794	40.7	
42	"	5,321	272.5		"	2,451	125.5		"	2,009	102.9		"	870	44.5		"	798	40.9	
43	"	5,290	270.2		"	2,679	136.8		"	2,024	103.4		"	804	41.1		"	702	35.9	
44	"	5,346	272.6		"	2,599	132.5		"	2,083	106.2		不慮の事故	761	38.8		老 衰	742	37.8	
45	"	5,374	275.3		"	2,685	137.5		"	2,232	114.3		老 衰	783	40.1		肺炎及び気管支炎	782	40.1	
46	"	5,253	268.4		"	2,602	133.0		"	2,118	108.2		不慮の事故	764	39.0		老 衰	714	36.5	
47	"	5,136	260.4		"	2,802	142.1		"	2,034	103.1		"	750	38.0		"	669	33.9	
48	"	5,284	266.2		"	2,932	147.7		"	2,253	113.5		"	792	39.9		肺炎及び気管支炎	718	36.2	
49	"	5,343	267.2		"	3,023	151.2		"	2,278	113.9		肺炎及び気管支炎	734	36.7		老 衰	709	35.5	
50	"	4,929	244.9		"	2,970	147.6		"	2,291	113.8		"	826	41.0		"	723	31.0	
51	"	4,942	243.7		"	2,919	143.9		"	2,319	114.3		"	726	35.8		"	633	31.2	
52	"	4,794	234.8		"	3,183	155.9		"	2,236	109.5		"	692	33.9		"	623	30.5	
53	"	4,695	228.5		"	3,186	155.0		"	2,250	109.5		"	725	35.3		"	625	30.4	
54	"	4,382	212.0		"	3,358	162.5		"	2,359	114.1		精神病の記載のない老衰	646	31.3		肺炎及び気管支炎	577	27.9	
55	"	4,454	214.3		"	3,407	163.9		"	2,594	124.8		肺炎及び気管支炎	755	36.3		精神病の記載のない老衰	716	34.4	
56	"	4,196	201.1		"	3,418	163.8		"	2,657	127.3		"	743	35.6		"	630	30.2	
57	"	4,034	192.6		"	3,461	165.2		"	2,507	119.7		"	746	35.6		"	624	29.8	
58	"	3,816	181.5		"	3,550	168.7		"	2,686	127.7		"	833	39.6		"	659	31.3	
59	悪性新生物	3,845	181.7		脳血管疾患	3,738	176.5		"	2,910	137.5		"	904	42.7		"	721	34.1	
60	"	3,762	176.5		"	3,629	170.3		"	3,076	144.3		"	1,019	47.8		"	670	31.4	
61	"	3,677	172.0		"	3,456	161.6		"	2,972	139.0		"	1,042	48.7		"	702	32.8	
62	"	3,937	183.6		"	3,401	158.6		"	2,882	134.4		"	1,053	49.1		"	668	31.2	
63	"	3,926	182.9		"	3,591	167.3		"	3,271	152.4		"	1,227	57.2		"	751	35.0	
平 成 元 年	"	4,108	191.0		"	3,274	152.2		"	3,102	144.2		"	1,253	58.3		"	682	31.7	
2	"	4,011	186.7		"	3,413	158.9		"	3,232	150.4		"	1,434	66.8		"	703	32.7	
3	"	4,130	192.0		心疾患	3,413	158.7		脳血管疾患	3,175	147.6		"	1,504	69.9		"	706	32.8	
4	"	4,355	202.0		"	3,601	167.0		"	3,195	148.2		"	1,607	74.5		"	730	33.9	
5	"	4,259	198.5		"	3,719	172.1		"	3,185	147.4		"	1,559	72.1		"	706	32.7	
6	"	4,497	207.4		"	3,337	153.9		"	3,269	150.8		"	1,812	83.6		"	811	37.4	
7	"	4,731	217.7		脳血管疾患	3,781	174.0		心疾患	2,768	127.4		肺炎	1,302	59.9		不慮の事故	745	34.3	
8	"	4,898	224.9		"	3,901	179.1		"	2,781	127.7		"	1,241	57.0		老 衰	772	35.4	
9	"	5,012	229.7		"	3,776	173.1		"	2,784	127.6		"	1,358	62.2		不慮の事故	819	37.5	
10	"	5,081	232.5		"	3,596	164.6		"	2,666	122.0		"	1,423	65.1		"	822	37.6	
11	"	5,172	236.5		"	3,614	165.2		"	2,845	130.1		"	1,595	72.9		老 衰	866	39.6	
12	"	5,305	243.1		"	3,615	165.7		"	2,877	131.9		"	1,520	69.7		不慮の事故	796	36.5	
13	"	5,317	243.2		"	3,568	163.2		"	2,908	133.0		"	1,457	66.7		"	834	38.2	
14	"	5,495	251.8		"	3,470	159.0		"	2,995	137.3		"	1,562	71.6		"	847	38.8	
15	"	5,438	249.6		"	3,402	156.1		"	3,078	141.3		"	1,625	74.6		"	851	39.1	
16	"	5,786	266.0		"	3,367	154.8		"	3,214	147.8		"	1,729	79.5		老 衰	798	36.7	
17	"	5,787	267.8		"	3,450	159.6		"	3,275	151.5		"	1,910	88.4		"	922	42.7	
18	"	5,707	264.9		心疾患	3,384	157.1		脳血管疾患	3,215	149.3		"	1,845	85.7		"	962	44.7	
19	"	6,043	281.7		"	3,360	156.6		"	3,220	150.1		"	1,915	89.3		"	1,055	49.2	
20	"	6,136	287.4		"	3,538	165.7		"	3,377	158.2		"	1,960	91.8		"	1,189	55.7	
21	"	5,912	278.1		"	3,456	162.6		"	3,077	144.7		"	1,918	90.2		"	1,213	57.1	
22	"	6,071	286.0		"	3,453	162.7		"	3,231	152.2		"	1,971	92.9		"	1,373	64.7	
23	"	6,142	290.4		"	3,725	176.1		"	3,049	144.2		"	2,125	100.5		"	1,574	74.4	
24	"	6,270	297.7		"	3,717	176.5		"	3,191	151.5		"	2,076	98.6		"	1,611	76.5	
25	"	6,150	293.6		"	3,780	180.4		"	3,057	145.9		"	2,034	97.1		"	1,740	83.1	
26	"	6,285	301.7		"	3,777	181.3		"	2,908	139.6		老 衰	2,020	97.0		肺炎	1,931	92.7	
27	"	6,219	300.1		"	3,776	182.2		"	2,705	130.5		"	2,254	108.8		"	1,835	88.6	
28	"	6,351	308.0		"	3,747	181.9		"	2,595	126.0		"	2,366	114.9		"	1,797	87.2	
29	"	6,430	314.1		"	4,013	196.0		老 衰	2,660	129.9		脳血管疾患	2,534	123.8		"	1,542	75.3	
30	"	6,312	310.6		"	3,968	195.3		"	2,780	136.8		"	2,405	118.4		"	1,382	68.0	
令 和 元 年	"	6,302	312.6		"	3,886	192.8		"	3,086	153.1		"	2,457	121.9		"	1,368	67.9	
2	"	6,380	316.9		"	3,679	182.7		"	3,199	158.9		"	2,307	114.6		"	1,181	58.7	
3	"	6,268	313.6		"	3,725	186.3		"	3,454	172.8		"	2,300	115.1		"	1,057	52.9	

注) 死亡率は人口10万対であり、率算出に用いた人口は、昭和41年までは総人口(長野県企画振興部情報政策課統計室)、昭和42年以降は日本人人口(総務省統計局)である。
資料:健康福祉政策課「人口動態統計」