

令和7年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤	松六コンクリート工業(株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	バイコン	小布施		長野	東信	松本
鉄筋コンクリートU型側溝	450	L=0.6m		○	○		○	○	○		
	600			○	○		○	○	○		
	150							○			
	180						○	○			
	240	L=1.0m		○	○		○	○	○		
	300A			○	○		○	○	○		
	300B		○	○	○		○	○	○		
	300C			○	○		○	○			
	360A			○	○		○	○			
	360B			○	○		○	○	○		
鉄筋コンクリートU型側溝蓋 1種	150	L=1.0m					○				
	180						○				
	240				○	○	○				
	300				○	○	○		○		
	360					○	○				
	450	L=0.6m			○		○				
	600					○	○				
	360										
鉄筋コンクリートU型側溝蓋 2種	180	L=0.6m				○	○				
	240					○	○				
	300					○	○				
	360					○	○				
	450					○	○				
	600						○				
	240	L=0.5m									
	300										
	360										
車道用鉄筋コンクリートU型	240	L=0.6m									
	300A										
	300B										
	360B										
	450						○	○	○		
	600						○	○	○		
	180	L=1.0m					○	○	○		
	240				○		○	○	○		
	300A				○		○	○	○		
	300B				○		○	○	○		
	360A						○	○	○		
	360B						○	○	○		
	450										
	600										
	300B	L=2.0m							○		
特殊車道用鉄筋コンクリートU型	240	L=0.5m									
	300										
	360										
	450										
	240	L=0.6m					○				
	300						○	○			
	360						○				
	450						○	○	○		
	600						○	○	○		
	240	L=1.0m					○	○	○		
	300						○	○	○		
	360							○			
	450										
	600										
特殊車道用甲蓋	240	L=0.5m			○	○	○	○			
	300				○	○	○	○			
	360							○			
	450										
	600										
	360	L=0.6m					○				
	450					○	○	○			
	600						○				
	240	L=1.0m									
	300										
	360										
	450										
	600										

令和7年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤	松六コンク リート工業 (株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	パイコン	小布施		長野	東信	松本
L型擁壁 ASウォール 県タイプ	750	L=2.0m	○		○						
	1000		○		○						
	1250		○		○						
	1500		○		○						
	1750		○								
	2000		○								
	2250		○		○						
	2500		○		○						
	2750		○		○						
	3000		○		○						
	L型擁壁 エコウォール(N)		H600	L=2000							○
H650									○		
H700									○		
H800									○		
H900									○		
L型擁壁 エコウォール(N1)	H1000							○			
	H1250							○			
ベンチフリューム (Ⅱ型)	200	L=2.0m					○	○			
	250						○	○			
	300						○	○			
	350						○	○			
	400						○	○			
	500						○	○			
	600						○	○			
	700						○	○			
	800						○	○			
	900										
	1000						○	○			
ジョイント ベンチフリューム	250	L=2.0m									
	300			○					○		
	350								○		
	400			○					○		
	500			○					○		
	600								○		
	700			○							
	800										
	900										
ベンチフリューム 蓋板2種 長野タイプ	250	L=1.0m							○		
	300								○		
	350								○		
	400								○		
	450										
	600	L=0.5m									
	800								○		
鉄筋コンクリートL型	250A	L=0.6m			○	○					
	250B				○	○		○	○		
	300				○	○	○	○	○		
	350						○	○			
歩車道境界ブロック (片面)	A種	L=0.6m			○	○			○		
	B種				○			○	○		
	C種				○			○	○		
	A種	L=2.0m				○			○		
	B種				○				○		
	C種				○				○		
歩車道境界ブロック (両面)	A種	L=0.6m			○	○			○		
	B種				○			○	○		
	C種				○			○	○		
	A種	L=2.0m				○			○		
	B種				○				○		
	C種				○				○		
地先境界ブロック	A種	L=0.6m			○				○		
	B種							○	○		
	C種				○			○	○		
	A面取り					○					
	B面取り	L=1.0m				○					
	C面取り					○					
	A種										
歩道用鉄筋 コンクリートU型側溝	240	L=1.0m									
	300										
	360										
間知ブロック 積みブロック	400×250×350					○					
	354×277×350										
	564×354×350										

令和7年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤 小布施	松六コンクリート工業 (株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	バイコン			長野	東信	松本
自由勾配側溝 土留型 FXウォール 300×	300	L=2.0m									
	400										
	500										
	600										
	700										
	800										
	900										
自由勾配側溝 土留型 FXウォール 400×	300	L=2.0m									
	400										
	500										
	600										
	700										
	800										
	900										
自由勾配側溝 土留型 FXウォール 500×	400	L=2.0m									
	500										
	600										
	700										
	800										
	900										
	1000										
自由勾配側溝 土留型 FXウォール 600×	600	L=2.0m									
	700										
	800										
	900										
	1000										
	1100										
自由勾配側溝 300×	300	L=2.0m		○	○		○	○			
	400			○	○		○	○			
	500			○	○		○	○			
	600		○		○		○	○			
	700		○		○		○	○			
	800		○		○		○	○			
	900		○		○		○	○			
自由勾配側溝 400×	400	L=2.0m	○		○		○				
	500						○				
	600		○		○		○				
	700						○				
	800						○				
	900						○				
	1000						○				
自由勾配側溝 500×	400	L=2.0m	○		○		○				
	500		○		○		○				
	600		○		○		○				
	700		○		○		○				
	800				○		○				
	900						○				
	1000						○				
	1100						○				
	1200										
	1300										
	1400										
自由勾配側溝 600×	400	L=2.0m									
	500										
	600		○		○		○				
	700		○		○		○				
	800		○		○		○				
	900		○				○				
	1000		○				○				
	1100		○				○				
	1200						○				
	1300										
	1400										
自由勾配側溝 横断用 300×	300	L=2.0m									
	400										
	500										
	600										
	700										
	800										
	900										
	1000										
	1100										

令和7年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤 小布施	松六コンク リート工業 (株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	バイコン			長野	東信	松本
自由勾配側溝 横断用 400×	400	L=2.0m									
	500										
	600										
	700										
	800										
	900										
	1000										
	1100										
	1200										
自由勾配側溝 横断用 500×	400	L=2.0m									
	500										
	600										
	700										
	800										
	900										
	1000										
	1100										
	1200										
自由勾配側溝 横断用 600×	400	L=2.0m									
	500										
	600										
	700										
	800										
	900										
	1000										
	1100										
	1200										
自由勾配側溝 用甲蓋 (車道用)	300	L=0.475				○					
	300	L=0.5m				○		○			
	400					○					
	500					○					
	600					○					
	400	L=1.0m									
	500										
	500										
	600										
自由勾配側溝 用甲蓋 (歩道用・軽荷重用)	300	L=0.475m									
	300	L=0.5m									
	400										
	500										
自由勾配側溝 用甲蓋 (車道用) FX防音可変側溝蓋	600	L=0.5m			○	○					
	300				○						
	400				○						
	500				○						
境界杭(長野県) スノウガッター アールガッター	600	L=0.6m	○		○						
	110×110×800		○				○	○			
	250					○		○			
	300							○			
	350					○		○			
	400					○					
RCボックスカルバート	450	L=2000			○						
	500										
	300×300				○		○				
	400×400				○		○				
	500×500		○		○		○				
	600×600		○		○		○				
	700×700				○						
	800×800		○								
	900×900										
小型ボックスカルバート 連結金具使用	1000×1000	L=1995m			○						
	1100×1100										
	1200×1200										
	300×300								○		
植樹柵	400×400								○		
	500×500								○		
	1号						○		○		
	2号						○		○		
	3号						○		○		

令和7年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤 小布施	松六コンクリート工業 (株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	バイコン			長野	東信	松本
大型横断VS 横断用 700×	500	L=2.0m								○	
	600									○	
	700									○	
	800									○	
	900									○	
	1000									○	
	1100									○	
	1200									○	
大型横断VS 横断用 800×	600	L=2.0m								○	
	700									○	
	800									○	
	900									○	
	1000									○	
	1100									○	
	1200									○	
	1300									○	
大型横断VS 横断用 900×	700	L=2.0m								○	
	800									○	
	900									○	
	1000									○	
	1100									○	
	1200									○	
	1300									○	
	1400									○	
大型横断VS 横断用 1000×	800	L=2.0m								○	
	900									○	
	1000									○	
	1100									○	
	1200									○	
	1300									○	
	1400									○	
	1500									○	
RCボックスカルバート (K型)	300×300	L=2.0m									○
	400×400										○
	500×500										○
	600×600									○	○
	700×600									○	○
	700×700									○	○
	800×600									○	○
	800×700									○	○
	800×800									○	○
	900×600									○	○
	900×700									○	○
	900×800									○	○
	900×900									○	○
	1000×600									○	
	1000×700									○	
	1000×800									○	
	1000×900									○	
	1000×1000									○	
	1000×1100									○	
	1000×1200									○	
	1000×1300									○	
	1000×1400									○	
	1000×1500									○	
	1100×600									○	
	1100×700									○	
	1100×800									○	
	1100×900									○	
	1100×1000									○	
	1100×1100									○	
	1200×500									○	
	1200×600									○	
	1200×700									○	
	1200×800									○	
	1200×900									○	
	1200×1000									○	
	1200×1100									○	
	1200×1200									○	
	1200×1300									○	
	1200×1400									○	
	1200×1500									○	
	1300×600									○	
	1300×700									○	
	1300×800									○	
	1300×900									○	
	1300×1000									○	
	1300×1100									○	
	1300×1200									○	
	1300×1300									○	

令和7年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤 小布施	松六コンク リート工業 (株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	バイコン			長野	東信	松本
	1400×800									○	
	1400×900									○	
	1400×1000									○	
	1400×1100									○	
	1400×1200									○	
	1400×1300									○	
	1400×1400									○	
	1500×600									○	
	1500×700									○	
	1500×800									○	
	1500×900									○	
	1500×1000									○	
	1500×1100									○	
	1500×1200									○	
	1500×1300									○	
	1500×1400									○	
	1500×1500									○	
血型VS蓋版 血型タイプ スリット付き	300	L=1.0m							○		○
	400								○		○
	500								○		○
	600								○		○
血型VS土留 300×	300	L=2.0m							○	○	○
	400								○	○	○
	500								○	○	○
	600									○	○
	700									○	○
	800									○	○
	900									○	○
	1000									○	○
血型VS土留 400×	1100	L=2.0m								○	○
	400									○	○
	500									○	○
	600									○	○
	700									○	○
	800									○	○
	900									○	○
	1000									○	○
血型VS土留 500×	1100	L=2.0m								○	○
	1200									○	○
	500									○	○
	600									○	○
	700									○	○
	800									○	○
	900									○	○
	1000									○	○
血型VS土留 600×	1100	L=2.0m								○	○
	1200									○	○
	1300									○	○
	1400									○	○
	1500									○	○
	600									○	○
	700									○	○
	800									○	○
血型VS(血型タイプ) 300×	900	L=2.0m								○	○
	1000									○	○
	1100									○	○
	1200									○	○
	1300									○	○
	1400									○	○
	1500									○	○
	300								○	○	○
血型VS(血型タイプ) 400×	400	L=2.0m							○	○	○
	500								○	○	○
	600								○	○	○
	700								○	○	○
	800								○	○	○
	900								○	○	○
	1000								○	○	○
	1100								○	○	○

令和7年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤 小布施	松六コンク リート工業 (株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	バイコン			長野	東信	松本
皿型VS(皿型タイプ) 500×	500	L=2.0m								○	○
	600									○	○
	700									○	○
	800									○	○
	900									○	○
	1000									○	○
	1100									○	○
	1200									○	○
	1300									○	○
	1400									○	○
	1500									○	○
										○	○
皿型VS(皿型タイプ) 600×	600	L=2.0m								○	○
	700									○	○
	800									○	○
	900									○	○
	1000									○	○
	1100									○	○
	1200									○	○
	1300									○	○
	1400									○	○
	1500									○	○
										○	○
										○	○
ユニバーサル側溝 (UNVS) 300× ※道路横断用を含む ◇土留めを含む	300	L=2.0m							○※	○※◇	○※◇
	400								○※	○※◇	○※◇
	500								○※	○※◇	○※◇
	600									○※◇	○※◇
	700									○※◇	○※◇
	800									○※◇	○※◇
	900									○※◇	○※◇
	1000									○※◇	○※◇
	1100									○※◇	○※◇
	1200									○	○◇
										○※◇	○※◇
										○※◇	○※◇
ユニバーサル側溝 (UNVS) 400× ※道路横断用を含む ◇土留めを含む	400	L=2.0m								○※◇	○※◇
	500									○※◇	○※◇
	600									○※◇	○※◇
	700									○※◇	○※◇
	800									○※◇	○※◇
	900									○※◇	○※◇
	1000									○※◇	○※◇
	1100									○※◇	○※◇
	1200									○※◇	○※◇
										○※◇	○※◇
										○※◇	○※◇
										○※◇	○※◇
ユニバーサル側溝 (UNVS) 500× ※道路横断用を含む ◇土留めを含む	400	L=2.0m								○※◇	○※◇
	500									○※◇	○※◇
	600									○※◇	○※◇
	700									○※◇	○※◇
	800									○※◇	○※◇
	900									○※◇	○※◇
	1000									○※◇	○※◇
	1100									○※◇	○※◇
	1200									○※◇	○※◇
	1300									○※◇	○※◇
	1400									○※◇	○※◇
	1500									○※◇	○※◇
ユニバーサル側溝 (UNVS) 600× ※道路横断用を含む ◇土留めを含む	400	L=2.0m								○※◇	○※◇
	500									○※◇	○※◇
	600									○※◇	○※◇
	700									○※◇	○※◇
	800									○※◇	○※◇
	900									○※◇	○※◇
	1000									○※◇	○※◇
	1100									○※◇	○※◇
	1200									○※◇	○※◇
	1300									○※◇	○※◇
	1400									○※◇	○※◇
	1500									○※◇	○※◇
ユニバーサル側溝 (大UNVS) 700×	500	L=2.0m								○	
	600									○	
	700									○	
	800									○	
	900									○	
	1000									○	
	1100									○	
	1200									○	
	1300									○	
	1400									○	
	1500									○	
	1600									○	
	1700									○	

令和7年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤 小布施	松六コンク リート工業 (株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	バイコン			長野	東信	松本
ユニバーサル側溝(大UNVS) 800×	600	L=2.0m								○	
	700									○	
	800									○	
	900									○	
	1000									○	
	1100									○	
	1200									○	
	1300									○	
	1400									○	
	1500									○	
	1600									○	
	1700									○	
	1800									○	
	1900									○	
ユニバーサル側溝(大UNVS) 900×	700	L=2.0m								○	
	800									○	
	900									○	
	1000									○	
	1100									○	
	1200									○	
	1300									○	
	1400									○	
	1500									○	
	1600									○	
	1700									○	
	1800									○	
	1900									○	
	2000									○	
ユニバーサル側溝(大UNVS) 1000×	800	L=2.0m								○	
	900									○	
	1000									○	
	1100									○	
	1200									○	
	1300									○	
	1400									○	
	1500									○	
	1600									○	
	1700									○	
	1800									○	
ユニバーサル側溝蓋版車道用	300	L=1.0m							○		
	400								○		
	500								○		
	600								○		
	700								○		
	800								○		
	900								○		
	1000								○		
皿型側溝 標準 300×	300	L=2.0m									○
	400										○
	500										○
皿型側溝 標準 400×	400	L=2.0m									○
	500										○
	600										○
皿型側溝 集水 300×	300	L=2.0m									○
	400										○
	500										○
皿型側溝 集水 400×	400	L=2.0m									○
	500										○
	600										○
L型街渠Ⅰ型(根入) 標準・集水 300×	300	L=2.0m									○
	400										○
	500										○

令和7年度 コンクリート二次製品 一括承認 品目

長野地域振興局

○の製品について承認する。

製品名	工場		アスザック(株)				(株)高見澤 小布施	松六コンク リート工業 (株)	(株)ホクエツ信越		
	規格	長さ	高山	東部	飯田	バイコン			長野	東信	松本
ユニバーサル側溝道路横断用 300 ×	300	L=2.0m							○		
	400								○		
	500								○		
EWS(N)	600	L=2.0m								○	○
	700									○	○
	750									○	○
	800									○	○
	900									○	○
EWS(N1)	1000	L=1.0m									
	1250										
	1500										
	1750										
	2000										
EWS(N1)	1000	L=2.0m								○	○
	1250									○	○
	1500									○	○
	1750									○	
	2000									○	
	2250									○	
	2500									○	
	2750									○	
	3000									○	
UNVS基礎版 北信越タイプ	300	L=2.0m							○		
	400								○		
	500								○		
	600								○		
	H500								○		○
ガード基礎ブロック											
ヘイベブロック 基礎版2型 標準	350								○		
	500								○		
ヘイベブロック 割石、美山河 標準	350								○	○	○
	500								○	○	
ヘイベブロック 割石、美山河 半載 右	350									○	○
	500									○	
ヘイベブロック 割石、美山河 半載 左	350									○	○
	500									○	
ヘイベブロック 割石、美山河 最下段	350									○	○
	500									○	
ヘイベブロック 割石、美山河 最下段 半載 右	350								○	○美山河のみ	
	500									○	
ヘイベブロック 割石、美山河 最下段 半載 左	350									○	○美山河のみ
	500									○	